

# PRODUCT GUIDE









# **EXPLOSION PROOF DUST COLLECTORS**

### **Ruwac USA**

54 Winter Street Holyoke, MA 01040 www.ruwac.com



built for the professional

THE WORLD'S MOST RUGGED INDUSTRIAL VACUUMS

# TABLE OF CONTENTS

W151EX SPEC SHEET pg. 3 & 4

WORKHORSE EX DIAGRAM pg. 5

W303EX, W304EX SPEC SHEET pg. 6 & 7

P503EX, P504EX SPEC SHEET pg. 8

POWERHOUSE EX DIAGRAM pg. 9

MX361EX SPEC SHEET pg. 10 & 11



EXPLOSION PROOF DUST COLLECTORS

# WWW.RUWAC.COM

CALL (413) 532-4030

EMAIL INFO@RUWAC.COM



# STANDARD SPECIFICATIONS: W151EX

- Explosion Proof TEFC Motor 120/1/60, 150 CFM, 1.5 Hp and 75" H2O
- Ruwac Exclusive Multi-Stage Maxflo Turbine
- ETL Certified to UL and CSA Standards Certified Explosion Proof
- Class I, Div 1,2 (Group D); Class II, Div 1,2 (Group F & G)
- Fully Conductive, Carbon Impregnated **BULLETPROOF** Composite Housing
- External Filter Cleaning Mechanism Dustless Cleaning of Filter
- 13 ft<sup>2</sup> MicroClean Filter 99% Efficient @ 0.5 Microns
- 2" Vacuum Inlet with Bronze Deflector
- Continuous Duty Operation
- 9 Gallon Collection Capacity Removable Dustpan



CERTIFIED EXPLOSION PROOF



Contact us today for pricing and availability

413-532-4030


# available upgrades:

HEPA Maxx Filter



# **W151EX**

# **DIMENSIONAL DRAWINGS**














### **Workhorse EX Vacuum Technology and Benefits:**

- A) Ruwac Exclusive Multi-Stage Maxflo Turbine

   Produces more suction using less horsepower

   Designed for continuous 24/7 operation

   Long lasting 15,000 hr run time with no maintenance required

   Superior Sound Suppression

  B) Fully enclosed Explosion Proof TEFC motor

   Class I, Division 1, Group D

   Class II, Division 1, Groups F & G

   Thermally protected

   Temperature Code: T3B or T3C, varies by Hp

  C) Explosion Proof Enclosure

   Class I hazardous locations

- Class I hazardous locations
  Class II, Groups E, F, & G hazardous locations
  Turn Style Switch

- Class 10, motor overload protection

  D) MicroClean Filter with External Cleaning Mechanism
   99% Efficient @ 0.5 Microns 3 Year Filter Guarantee
   Clean the filter without disassembling your vacuum. Never come in contact with the dust!

### E) Aluminum Cast Grounded Inlet

- Ground and bond your Ruwac's hoses and accessories

  F) 9 Gallon Collection Capacity Removable Dustpan
   Easy-to-empty 9 gallon foot-actuated dustpan

  G) Portable design with low center of gravity
   Maneuver the vacuum without the risk of the vacuum tipping over

  H) Carbon Impregnated "Bulletproof" Oval Composite Housing
   Indestructible, fully conductive and will never dent, crack or rust!
   Carbon Impregnated and fully grounded to protect against static build-up electrically insulating (10-6 OHMS resistance)

<sup>\*\*</sup>Optional HEPA Maxx and ULPA filtration for air purification





# STANDARD SPECIFICATIONS: W303EX, W304EX

- Three Phase TEFC Motor 230/3/60, 460/3/60, 300 CFM, 5 Hp and 84" H2O
- Ruwac Exclusive Multi-stage Maxflo Turbine
- ETL Certified to UL and CSA Standards Certified Explosion Proof
- Class I, Div 1,2 (Group D); Class II, Div 1,2 (Group F & G)
- Fully Conductive, Carbon Impregnated "BULLETPROOF" Composite Housing
- External Filter Cleaning Mechanism Dustless Cleaning of Filter
- 28 ft<sup>2</sup> MicroClean Filter 99% Efficient @ 0.5 Microns
- 2.75" Vacuum Inlet with Bronze Deflector
- Continuous Duty Operation
- 9 Gallon Collection Capacity Removable Dustpan

# W303EX, W304EX

**CERTIFIED EXPLOSION PROOF** 



Contact us today for pricing and availability


413-532-4030


# available upgrades:

- HEPA Maxx Filter
- Dust Extraction Arm

# **W303EX, W304EX**

# **DIMENSIONAL DRAWINGS**









# STANDARD SPECIFICATIONS: P503EX, P504EX

- Three Phase TEFC Motor 230/3/60, 460/3/60, 500 CFM, 10 Hp and 94" H2O
- Ruwac Exclusive Maxflo Multi-Stage Turbine
- Class I, Div 1,2 Group D, Class II, Div 1,2 Groups F and G
- ETL Certified to UL 1203 and CSA 22.2
- Fully Conductive Carbon Impregnated Fiberglass Housing
- External Filter Cleaning Mechanism Dustless Cleaning of Filter
- 48 ft<sup>2</sup> MicroClean Filter 99% Efficient @ 0.5 Microns
- 2.75" Vacuum Inlet with Bronze Deflector
- Continuous Duty Operation
- 24 Gallon Collection Capacity Removable Dustpan

# P503EX, P504EX CERTIFIED EXP. PROOF



Contact us today for pricing and availability

413-532-4030


# available upgrades:

- HEPA SUPER Maxx Filter
- Dust Extraction Arm
- Pair with Tubing and Fittings for Central Vacuum Capabilities









### **Powerhouse EX Vacuum Technology and Benefits:**

### A) Ruwac exclusive Multi-Stage Maxflo turbine

- Produces more suction using less horsepower
- Designed for continuous 24/7 operation
- Long lasting 15,000 hr run time with no maintenance required

### B) Fully enclosed Explosion Proof TEFC motor

- · Class I, Division 1, Group D
- · Class II, Division 1, Groups F & G
- Thermally protected
- Temperature Code: T3B or T3C, varies by Hp

### C) Explosion Proof Enclosure

- · Class I hazardous locations
- · Class II, Groups E, F, & G hazardous locations
- Turn Style Switch
- · Class 10, motor overload protection

### D) Durable fiberglass reinforced composite housing

• Static dissipating – electrically insulating (10-6 ohms resistance) will never dent or rust

### E) External filter cleaning mechanism

• Clean the filter without disassembling your vacuum. Never come in contact with the dust!

### F) Industry leading MicroClean filter

• Over sized 48 SQFT – 99% Efficient @ 0.5 Microns

### G) Large vacuum inlet

• 2.75" or 4" vacuum inlet (depends on model) for collection of large materials

### H) Large anti-static casters

• 6" anti-static casters to prevent static buildup

### I) 24 gallon collection capacity - removable dustpan

· Materials collect into large foot actuated dustpan with wheels for easy waste disposal

<sup>\*\*</sup>Optional HEPA Maxx and ULPA filtration for air purification





## STANDARD SPECIFICATIONS: MX361EX

- Explosion Proof TEFC Motor 120/1/60, 150 CFM, 1.5 Hp and 75" H2O
- Ruwac Exclusive Maxflo Multi-Stage Turbine
- Class I, Division 1,2 (Group D) Class II, Division 1,2 (Group E,F,G)
- ETL Certified to UL 1203 and CSA 22.2
- Carbon Impregnated **BULLETPROOF** Compression Cast Housing
- Fully Bonded and Grounded
- 44 ft<sup>2</sup> Hydrophobic Filter 99% Efficient @ 1 Micron
- 2" Vacuum Inlet with Stainless Steel Immersion Tube
- Stainless Steel Demisting Pad and Dispersion Screen
- Continuous Duty Operation
- 12 Gallon Liquid Bath



CERTIFIED EXPLOSION PROOF
WET-MIX IMMERSION TECHNOLOGY



Contact us today for pricing and availability


413-532-4030


# available upgrades:

- HEPA Maxx Filter
- Onboard Reclaim System
- Discharge Settling Chamber

# **MX361EX**

# **DIMENSIONAL DRAWINGS**









# EXPLOSION PROOF DUST COLLECTORS

With over 35 years of proven installations, *Ruwac* will customize your **dust collection system with the correct vacuum producer**, filtration unit, collection container and tubing system for your needs. Our professional engineers will help you meet **OSHA and NFPA requirements** to present a safe working environment for your employees and properly collect the material in question. Whatever your application, we will work with you to provide a cost-effective solution to your vacuuming needs!

### LARGE CAPACITY DUST COLLECTION SYSTEMS





PASSIVE DUST COLLECTION SYSTEMS FOR BINS & STORAGE SILOS

EXPLOSION PROOF DUST COLLECTORS / HIGH PRESSURE





WORKHORSE DUST COLLECTOR: 9 GALLON, 460 CFM

Ruwac USA
54 Winter Street
Holyoke, MA 01040
www.ruwac.com



