

# INDUSTRIAL VACUUM ACCESSORIES



BONDED AND GROUNDED TOOLS • DUST EXTRACTION ARMS • HIGH EFFICIENCY CYCLONES • FILTERS  
LARGE SURFACE FLOOR CLEANING • HOSES • FOOD GRADE TOOLS • OVERHEAD CLEANING • OVEN CLEANING



54 Winter St  
Holyoke MA,  
01040

413-532-4030

[www.ruwac.com](http://www.ruwac.com)

[info@ruwac.com](mailto:info@ruwac.com)

Dear Customer,  
 Congratulations on the purchase of your  
 new Ruwac Industrial Vacuum Cleaner!

We stand behind every vacuum we  
 manufacture and pride ourselves in  
 only recommending machines and  
 components that are best suited for  
 your unique application. Our goal is to  
 exceed all of your expectations.

We also want you to be aware of  
 everything that Ruwac offers. This  
 accessory catalog provides you with  
 information on our most popular  
 packages and tools, compares our  
 variety of hoses, and introduces you  
 to our central vacuum products and  
 separation systems.

Need something that you can't find in  
 this catalog? Please, call us. If we do  
 not already carry it, we will find it for  
 you!

Because your business is unique, we  
 want to provide individual solutions for  
 your housekeeping needs. Ask us for a  
 "Needs Assessment" and we will make  
 sure you get just the right vacuum and  
 accessories for your housekeeping  
 needs.

Sincerely,

**The Ruwac USA Team**

## TABLE OF CONTENTS:

<b>Hoses:</b>	3
<b>Accessories Packages:</b>	4 - 5
<b>Tools and Wands:</b>	6 - 9
<b>Attachments:</b>	10 - 11
<b>Pre-Separators:</b>	12 - 13
<b>Connectors and Filters:</b>	14 - 15
<b>Central Vacs and Tubing:</b>	End Page


Independently owned and operated, all design, engineering, drafting and  
 manufacturing of Ruwac USA products takes place in our own ISO-9001  
 certified, 65,000 ft<sup>2</sup> production facility in Holyoke, Massachusetts.

54 Winter St., Holyoke, MA 01040

**(413) 532-4030**

info@ruwac.com

www.ruwac.com



ACCESSORIES PACKAGES - PAGE 4-5  
 TOOLS AND WANDS - PAGE 6-9



PAGE 10

DUST EXTRACTION ARMS  
 ULTRA FINE DUST - POINT OF SOURCE EXTRACTION








PAGE 11








FLOOR SWEEPS  
 DRY MATERIALS, WET COLLECTION & SLURRY

# VACUUM HOSES



STOCK HOSES		Diam	1'	10'	15'	25'	50'	Bend Radius	lbs. / ft.
  • Recommended for applications where grounding is not required	PLASTIC CRUSHPROOF	1.25"	2095	209510C	209515C	209525C	209550C	2"	0.216
		1.5"	3516	351610C	351615C	351625C	351650C	3"	0.296
		2"	5014	501410C	501415C	501425C	501450C	4"	0.52
		3"	7012	701210C	701215C	701225C	701250C	5"	0.592
		4"	N/A	N/A	N/A	1003725C	N/A		
  • General purpose anti-static where grounding is not important	STATIC CONDUCTIVE PLASTIC CRUSHPROOF with static conductive cuffs	1.25"	2095SC	2095SC10C	2095SC15C	2095SC25C	N/A	2"	0.216
		1.5"	3516SC	3516SC10C	3516SC15C	3516SC25C	N/A	3"	0.296
		2"	5014SC	5014SC10C	5014SC15C	5014SC25C	N/A	4"	0.25
  • The most flexible grounded hose	FLEXIBLE VINYL GROUNDED	1.25"	2097	209710A	209715A	209725A	N/A	0.5"	0.17
		1.5"	3534	353410A	353415A	353425A	N/A	0.75"	0.23
		2"	5027	502710A	502715A	502725A	N/A	1"	0.32
		3"	7013	701310A	701315A	701325A	N/A	5"	0.62
		4"	10027	N/A	N/A	N/A	N/A	6"	1.08
  • Recommended for most explosion proof applications	ANTI-STATIC AND FULLY GROUNDED URETHANE HOSE	1.25"	2599	N/A	N/A	259925A	N/A	1.06"	0.18
		1.5"	N/A	359910A	N/A	359925A	N/A	1.22"	0.21
		2"	N/A	509910A	N/A	509925A	N/A	1.5"	0.27
		3"	7099	709910A	N/A	709925A	N/A	2.07"	0.395
		4"	10099	N/A	N/A	N/A	N/A	2.69"	0.54
  • Recommended for abrasive material applications	HEAVY DUTY FLEXIBLE, GROUNDED URETHANE	1.5"	3550	355010A	355015A	355025A	N/A	1.14"	0.35
		2"	5020	502010A	502015A	502025A	N/A	1.36"	0.445
		3"	7050	705010A	705015A	705025A	N/A	2.58"	0.705

HOSE DIAMETER	GROUNDING RUBBER CUFFS = A	NON-GROUNDED CUFFS = C
	GROUNDING WITH METAL HOSE CONNECTORS = B	NO CUFFS = D

CUSTOM HOSES		Diam	1'	10'	15'	25'	50'	Bend Radius	lbs. / ft.
 <p>CONDUCTIVE STAINLESS STEEL, FULLY GROUNDED</p> <p>*Call to discuss custom connectors</p> <p>• Conductive and abrasion resistant where flex is not important</p> 	1.5"	N/A	352910D	352915D	352925D	N/A	3"	0.46	
	2"	N/A	501510D	501515D	501525D	N/A	5"	0.62	
	3"	N/A	700210D	700215D	700225D	N/A	7"	1	
 <p>MEDIUM DUTY URETHANE</p> <p>• All around general purpose, construction debris</p>	3"	7025	702510C	702515C	702525C	702550C	3.0"	.40"	
			702510A	702515A	702525A	N/A			
 <p>HIGH TEMPERATURE SILICONE HOSE UP TO 540°F</p> <p>*Recommended for oven cleaning and high temp applications</p>	2"	N/A	N/A	501713B *Includes 5222 Reducer *13' length	N/A	N/A	1.2"	.24"	
 <p>VERMICULITE HOSE</p> <p>• For vermiculite and bulk removal applications</p>	3"	N/A	N/A	N/A	N/A	701450D	5.0"	.42"	
 <p>ELECTRIC CONDUCTIVE URETHANE HOSE</p> <p>• Highest level of connectivity protection</p> 	2"	5090	509010A	509015A	509025A	N/A	1.5"	.275"	

# CLASS I & II DIVISION 1 & 2 EXPLOSION PROOF ACCESSORIES PACKAGES - NFPA


## 1.5" CONDUCTIVE, BONDED AND GROUNDED

### PACKAGE #EXP151510CB

\*Available with 25' hose

- #359910A 1.5" x 10' explosion proof poly-urethane hose with grounded cuffs
- #3502 1.5" x 54" aluminum two-piece wand with double bend
- #3512AM 14" metal floor tool with anti-static bristles
- #3507 11" aluminum crevice tool
- #3520C 3" round conductive brush, carbon impregnated, nylon bristles

Ruwac's #EXP151510CB is engineered for explosion proof applications and includes a 1.5" x 10' flexible grounded poly-urethane hose along with 1.5" tools. This explosion proof kit has everything you need to clean fine dust off of your production equipment, floors and walls. No wonder this is Ruwac's **BEST SELLING** package.




### PACKAGE #EXP151510FCB

\*Available with 25' hose

- #359910A 1.5" x 10' explosion proof poly-urethane hose with grounded cuffs
- #3502 1.5" x 54" aluminum two-piece wand with double bend
- #35658 16" rubber floor tool, conductive rubber and rollers for effortless cleaning of large floor areas
- #3507 11" aluminum crevice tool
- #3520C 3" round conductive brush, carbon impregnated, nylon bristles

For those who want to clean large areas of floor while also having the tools to clean process equipment. Package #EXP151510FCB is an extremely popular package because of it's versatility and effectiveness at picking up combustible dusts regardless of the application.



### PACKAGE #EXP15ER

- #356160 Quantity (2) - 1.5" x 60" straight aluminum wands w/ coupling to receive tools
- #3509H 9" x 1.5" aluminum wall brush with horsehair bristles
- #3545 4-6" x 1.5" curved metal tool for removing ultra fine dust off overhead pipes. Nylon bristles

Ruwac's #EXP15ER is essential for any building with overhead piping, ductwork, rafters or columns where ultra-fine dust can build up over time. Cleaning this dust before it is disturbed and becomes airborne could prevent products below from being contaminated and can also help to prevent an explosion.



## 2" CONDUCTIVE, BONDED AND GROUNDED

### PACKAGE #EXP202025FC

- #509925A 2" x 25' explosion proof poly-urethane hose with grounded cuffs
- #5003S 2" x 45" stainless steel wand with single bend
- #5016S 15" stainless steel crevice tool
- #5060 20" aluminum floor tool with rollers and rubber strips
- #50652 4" conductive round rubber brush w/ brass bristles

Ruwac's #EXP202025FC is engineered for explosion proof applications and comes with a 2" x 25' flexible poly-urethane hose along with 2" tools. The 2" explosion proof kit has everything you need to clean fine dust off of your production equipment. The addition of the 20" floor tool with rollers gives you the ability to effortlessly clean large floor areas without wearing down the tool's rubber strips.



### PACKAGE #IND202010PC & #IND202025PC

- #5004 2" x 56" wand, DBL bend, CHROM 2 PC, 1.5" metal tool coupling
- #3512AM 14" floor tool, metal body with anti-static bristles
- #5038 2" x 54" wand, aluminum, straight
- #3509N 9" wall brush, nylon bristles
- #5222 adapter, stainless, 2" OD connector to 1.5" tool coupler
- #502710A / #502725A 2" x 10' or 2" x 25' hose, flexible vinyl, grounded with rubber cuffs

#### POWDER COATING



Easily collect fine to heavy bulk materials with Ruwac tools and vacuums.



2" GROUNDED POWDER COATING KIT

HOSES

ACCESSORIES  
PACKAGES

TOOLS & WANDS

ATTACHMENTS

PRE-SEPARATORS

CONNECTORS  
& FILTERS

CENTRAL VACS  
& TUBING

# CLASS II DIVISION 2

## INDUSTRIAL GROUNDED ACCESSORIES PACKAGES



### 1.5" GROUNDED

#### PACKAGE #IND151510C

- #353410A 1.5" X 10' flexible, anti-static vinyl hose with grounded cuffs
- #3502 1.5" x 54" aluminum two-piece wand with double bend
- #3512AM 14" metal floor tool with anti-static bristles
- #3507 11" aluminum crevice tool

Ruwac's **#IND151510C** can be used with many different Ruwac vacuums however it is most commonly paired with the R150 "Shop Vac Killer". Class II Division 2 and fully grounded, the #IND151510C is perfect for **bakeries** and any other application that has fine dusts, powders or ingredients.



#### PACKAGE #IND15ER

- #356160 1.5" x 60" straight aluminum wand with coupling to receive tools
- #3509N 9" x 1.5" aluminum wall brush with nylon bristles

Ruwac's **#IND15ER** is a lightweight wall cleaning package that includes a 5 foot aluminum wand as well as a 9" aluminum brush with nylon bristles. Clean the walls of your manufacturing or processing plant and extend your reach for other hard to reach areas.



### 2" GROUNDED

#### PACKAGE #IND152010

**\*Available with 25' hose**

- #502710A 2" x 10' flexible, anti-static vinyl hose with grounded cuffs
- #5004 2" x 56" 2 piece chrome wand with double bend and 1.5" coupler
- #3512AM 14" metal floor tool with anti-static bristles

Ruwac's **#IND152010** is the 2" starter kit for industrial packages containing a 2" x 10' flexible anti-static vinyl hose, a 56" chrome wand and a 14" metal floor tool with bristles. Perfect for **powder coating** applications and deep cleaning of floors/ceilings walls and equipment.




#### PACKAGE #IND202010F

**\*Available with 25' hose**

- #502710A 2" x 10' flexible, anti-static vinyl hose with grounded cuffs
- #5003 2" x 45" one-piece chrome wand with single bend
- #5060 20" aluminum floor tool with rollers and rubber strips

The **#IND202010F** is designed for large surface floor cleaning. The 20" floor tool with rollers effortlessly glides across the ground and is perfect for a variety of industries and applications.



#### PACKAGE #IND202010HDF

**\*Available with 25' hose**

- #502010A 2" x 10' flexible, grounded heavy duty urethane hose
- #5003 2" x 45" one-piece chrome wand with single bend
- #5060 20" aluminum floor tool with rollers and rubber strips

The **#IND202010HDF** is designed for large floor cleaning applications and **general housekeeping** of rough abrasive materials. The 20" floor tool with rollers effortlessly glides across the ground while the heavy duty urethane hose ensures longevity and performance, even against the toughest materials.



#### PACKAGE #IND152013HT

- #501713B 2" x 13' high temp flexible silicone hose. Maximum temp 540°F
- #356160 1.5" x 60" straight aluminum wand with tool coupling to receive the #351512 oven tool
- #351512 1.5" x 12" aluminum oven cleaning tool with a flat metal bottom

Ruwac's **#IND152013HT** is a popular package for bakeries, pizza shops, food manufacturing plants and any other business with **hot ovens**. The high temperature silicone hose is 13' long for deep ovens and rated up to 540°F. The 5 foot aluminum wand attaches to the 12 inch oven cleaning tool and leaves no crumbs behind.



HOSES

ACCESSORIES  
PACKAGES

TOOLS & WANDS

ATTACHMENTS

PRE-SEPARATORS

CONNECTORS  
& FILTERS

CENTRAL VACS  
& TUBING

# INDUSTRIAL TOOLS AND WANDS

## 1.5" - CLASS II, DIVISION 2

### 1.5" RUBBER BODY TOOLS

**1.5" Food Grade Kit**  
Rubber Body

**NEW RELEASE**

Part #	Description
FGA15	Food grade tools - high visability bristles

**1.5" Wide Mouth Tool**  
Rubber Body

Part #	Description
35663	Wide mouth rubber tool - blue

**22" Vacuum Nozzle**  
Rubber

Part #	Description
350822	22" Flexible nozzle

*\* Indicates that product is shown in the image*

### 1.5" WANDS

**1.5" x 60" Straight**  
Recommended for Overhead Cleaning and walls

Part #	Description
356160	1.5"x60" Straight aluminum wand 1.5" OD x 1.5" Tool coupler

**1.5" x 60" Single Bend**  
Recommended for Overhead Cleaning and walls

Part #	Description
356360	1.5"x60" Aluminum wand with 45° single bend - 1.5" OD x 1.5" Tool coupler
356460	1.5"x60" Aluminum wand with 90° single bend - 1.5" OD x 1.5" Tool coupler

**1.5" x 54" Double Bend**  
Recommended for floors

Part #	Description
35021S	1.5"x54" Stainless wand with double bend 1.5" OD x 1.5" Tool coupler
*3502	1.5"x54" Aluminum wand with double bend 1.5" OD x 1.5" Tool coupler

## RUWAC TOOL MANAGEMENT

**stainless steel hose hanger**  
#90992SS

attaches to front of vacuum housing for organized hose management.

**tool bag**  
#99980

fits a 25' hose and accessories! strap it onto your vacuum's handle and always have your tools within reach.

**tool basket kit**  
#25176

store your tools for convenient access!

# INDUSTRIAL TOOLS AND WANDS

## 2" - CLASS II, DIVISION 2

### 2" RUBBER BODY TOOLS

**2" Food Grade Kit**  
Rubber Body



Part #	Description
FGA20	Food grade tools - high visibility bristles
FGA20-BL	Food grade tools - high visibility bristles with BL

**2" Wide Mouth Tool**  
Rubber Body



Part #	Description
*50663	Wide mouth rubber tool - blue
50663-BL	Wide mouth rubber tool - blue w / BL


NEW RELEASE

**5" Utility Tool**  
Oil Resistant Rubber Body



Part #	Description
5011	2" x 5" Rubber utility tool - oil resistant
Requires a wand below with tapered tool connection	




**3" Brush**  
Rubber Body



Part #	Description
5034	2" x 3" Rubber body brush
Requires a wand below with tapered tool connection	

\* Indicates that product is shown in the image

### 2" WANDS

<div><div><b>2" x 18" Single Bend with Tapered Tool Connection</b></div><div></div></div> <table><tr><th>Part #</th><th>Description</th></tr><tr><td>*5010</td><td>Chrome wand</td></tr><tr><td>5010-BL</td><td>Chrome w/button lock wand</td></tr><tr><td>5010-S</td><td>Stainless steel wand</td></tr><tr><td>5010S-BL</td><td>Stainless steel w/BL wand</td></tr></table>	Part #	Description	*5010	Chrome wand	5010-BL	Chrome w/button lock wand	5010-S	Stainless steel wand	5010S-BL	Stainless steel w/BL wand	<div><div><b>2" x 45" Single Bend with Tapered Tool Connection</b></div><div></div></div> <table><tr><th>Part #</th><th>Description</th></tr><tr><td>*5003</td><td>Friction fit, chrome wand</td></tr><tr><td>5003-BL</td><td>Friction fit, chrome w/BL wand</td></tr></table>	Part #	Description	*5003	Friction fit, chrome wand	5003-BL	Friction fit, chrome w/BL wand	<div><div><b>2" x 56" Double Bend with 1.5" Tool Coupler</b> For use with 2" hose and 1.5" tools</div><div></div></div> <table><tr><th>Part #</th><th>Description</th></tr><tr><td>5004</td><td>Chrome wand w / coupler for 1.5" tools</td></tr></table>	Part #	Description	5004	Chrome wand w / coupler for 1.5" tools
Part #	Description																					
*5010	Chrome wand																					
5010-BL	Chrome w/button lock wand																					
5010-S	Stainless steel wand																					
5010S-BL	Stainless steel w/BL wand																					
Part #	Description																					
*5003	Friction fit, chrome wand																					
5003-BL	Friction fit, chrome w/BL wand																					
Part #	Description																					
5004	Chrome wand w / coupler for 1.5" tools																					


### 2" METAL TOOLS

**24" Crevice Tool**  
Chrome Body



Part #	Description
*5008	24" Crevice tool
5008-BL	24" Crevice tool w / button lock

**32" Floor Sweep**



PART #5018

SEE PAGE 11

# EXPLOSION PROOF TOOLS AND WANDS




## 1.5" - CONDUCTIVE, BONDED & GROUNDED

### 1.5" METAL TOOLS - NFPA COMPLIANT FOR COMBUSTIBLE DUST

<b>14" Floor Brush</b> Metal Body 	<b>Oven Cleaning Tool</b> Aluminum Body 	<b>9" Wall Brush</b> Aluminum Body 
<b>Part # Description</b> *3512AM Anti-static bristle brush 3512NM Nylon bristle brush	<b>Part # Description</b> *351512 12" Body Gulper with Flat Bottom 351518 18" Body Gulper with Flat Bottom	<b>Part # Description</b> *3509H 9" Horsehair bristle brush 3509N 9" Nylon bristle brush
<b>18" Bulk Pick-up Nozzle</b> Aluminum body 	<b>24" Crevice Tool</b> Aluminum body 	
<b>Part # Description</b> 3528 18" Nozzle	<b>Part # Description</b> 350724 24" Crevice	
<b>11" Crevice Tool</b> 	<b>Upholstery Tool</b> Aluminum Body 	<b>3" Round Brush</b> Aluminum Body 
<b>Part # Description</b> *3507 11" Aluminum Crevice tool 3507S 11" Stainless Steel Crevice tool	<b>Part # Description</b> *3505 6" Utility 3505B Slide-on nylon brush for #3505 3505SQA Slide-on squeegee for #3505	
		<b>Part # Description</b> *3520C Nylon bristle brush, carbon impregnated 3520N Nylon bristle brush 3520H Horsehair bristle brush 3520FG Food Grade with aluminum body

### 1.5" WANDS - NFPA COMPLIANT FOR COMBUSTIBLE DUST

\* Indicates that product is shown in the image

<b>1.5" x 60" Straight</b> Recommended for Overhead Cleaning and walls 	<b>1.5" x 60" Single Bend</b> Recommended for Overhead Cleaning and walls 	<b>1.5" x 54" Double Bend</b> Recommended for floors 
<b>Part # Description</b> 356160 1.5"x60" Straight aluminum wand 1.5" OD x 1.5" Tool coupler	<b>Part # Description</b> 356360 1.5"x60" Aluminum wand with 45° single bend - 1.5" OD x 1.5" Tool coupler 356460 1.5"x60" Aluminum wand with 90° single bend - 1.5" OD x 1.5" Tool coupler	<b>Part # Description</b> 35021S 1.5"x54" Stainless wand with double bend 1.5" OD x 1.5" Tool coupler *3502 1.5"x54" Aluminum wand with double bend 1.5" OD x 1.5" Tool coupler

### OVERHEAD CLEANING BRUSHES

<b>1.5" Pipe Tools</b> Aluminum Body 
<b>Part # Description</b> 3544 1" - 3" Nylon bristles (LEFT) 3545 4" - 6" Nylon bristles (MIDDLE) 3546 6" - 12" Nylon bristles (RIGHT)



SEE ADDITIONAL RUBBER STATIC CONDUCTIVE TOOLS ON THE NEXT PAGE (AVAILABLE WITH 1.5" OR 2" CONNECTIONS)

# EXPLOSION PROOF TOOLS AND WANDS

1.5" AND 2" - CONDUCTIVE, BONDED &


1.5" & 2" STATIC CONDUCTIVE RUBBER TOOLS - NFPA COMPLIANT FOR COMBUSTIBLE DUST

<b>5" Utility Tool</b>  <b>Part # Description</b> 35656 1.5" hose connection *50656 2" hose connection 50656-BL 2" hose connection w/ BL	<b>4" Round Brush w/ Brass and Nylon Bristles</b>  <b>Part # Description</b> 35652 1.5" hose connection *50652 2" hose connection 50652-BL 2" hose connection w/ button lock	<b>Bulk Pickup Tool</b>  <b>Part # Description</b> 35651 1.5" hose connection *50651 2" hose connection 50651-BL 2" hose connection w/ button lock
<b>6" Crevice Tool</b>  <b>Part # Description</b> 35654 1.5" hose connection *50654 2" hose connection 50654-BL 2" hose connection w/ button lock	<b>16" Crevice Tool</b>  <b>Part # Description</b> 35657 1.5" hose connection *50657 2" hose connection 50657-BL 2" hose connection w/ button lock	<ul style="list-style-type: none"> <li>• FULLY CONDUCTIVE</li> <li>• NON-SCRATCHING AND SEMI-FLEXIBLE</li> <li>• 1.5" OR 2" STAINLESS CONNECTORS</li> </ul>  <b>BEST SELLERS</b>
<b>8" Bent Rubber Nozzle</b>  <b>Part # Description</b> 35653 1.5" hose connection *50653 2" hose connection 50653-BL 2" hose connection w/ button lock	<b>12" Flexible Rubber Nozzle w/ 90° Bend</b>  <b>Part # Description</b> 35655 1.5" hose connection *50655 2" hose connection 50655-BL 2" hose connection w/ button lock	

2" METAL TOOLS - NFPA COMPLIANT FOR COMBUSTIBLE DUST

<b>15" Crevice Tool</b> Stainless Steel  <b>Part # Description</b> *5016S 15" Crevice stainless steel 5016S-BL 15" Crevice w / button lock stainless steel	<b>15" Crevice Tool</b> Aluminum  <b>Part # Description</b> 5016 15" Crevice aluminum 5016-BL 15" Crevice w / button lock aluminum	<b>20" Floor Tool</b> Aluminum Body  <b>Part # Description</b> 5060 20" Floor tool with rollers & squeegee Requires a wand below with tapered tool connection <i>* Indicates that product is shown in the image</i>
<b>18" Bulk Pick-up Tool</b> Aluminum Body  <b>Part # Description</b> *5080 18" Bulk pick-up tool 5080-BL 18" Bulk pick-up tool w/button lock		

2" WANDS - NFPA COMPLIANT FOR COMBUSTIBLE DUST

<b>2" x 54" Straight Aluminum Wands</b> Recommended for Overhead Cleaning and walls <b>Part # Description</b> 503710-BL 2" BL x 2" ID fits BL 503720-BL 2" BL x 2" Taper fitting 503730-BL 2" BL x 2" OD w/30° Angle 5038 2" x 1.5" Tool Coupler 5038-BL 2" BL x 1.5" Tool Coupler	 503710-BL 503720-BL 503730-BL 5038 5038-BL	<b>2" x 45" Single Bend with Tapered Tool Connection</b> Recommended for floors  <b>Part # Description</b> *5003-S Friction fit, stainless steel wand 5003S-BL Friction fit, stainless steel wand with BL
---	---	---

HOSES

ACCESSORIES  
PACKAGES

TOOLS & WANDS

ATTACHMENTS

PRE-SEPARATORS

CONNECTORS  
& FILTERS

CENTRAL VACS  
& TUBING

# ATTACHMENTS

## POINT OF SOURCE EXTRACTION - DUST ARMS

HOSES

ACCESSORIES  
PACKAGES

TOOLS & WANDS

ATTACHMENTS

PRE-SEPARATORS

CONNECTORS  
& FILTERS

CENTRAL VACS  
& TUBING

### DUST EXTRACTION SWING ARM

collect dust at the source



STAINLESS STEEL ARM

PART #2004023

RED LINE PORTABLE  
WORKHORSE PORTABLE (EX)  
MX300 (EX)



PART #2004024

RED LINE BAGGER  
WORKHORSE BAGGER  
MX360 (EX)



Ruwac's **Dust Extraction Swing Arm** safely removes airborne dusts, gases and smoke emitted during manufacturing processes such as stirring and mixing, dumping, pouring and welding. The Dust Arm continues to be one of Ruwac's best selling accessories because of how easy it is to install onto the vacuum, it's hands-free ease of use and unparalleled effectiveness for ultra-fine point of source dust collection.

### LOC-LINE DUST ARM FOOD GRADE

NEW RELEASE



Ruwac's anti-static **Loc-Line Dust Extraction Arm** is manufactured out of a **Food Grade** material making it an ideal attachment for bakeries, pizza shops and food processing plants. The arm connects to a Ruwac hose and clamps onto a mixing bowl, dumping station, or wherever you need suction for point of source dust extraction. Bend the Loc-Line arm into the configuration that fits your needs and the arm will stay in that position until altered.

### WALL MOUNTED DUST EXTRACTION ARM



STIRRING AND MIXING  
DUMPING AND POURING

WALL MOUNTED ARM MODEL NUMBER	ARM REACH	ARM DIAMETER	AVAILABLE HOOD DIAMETER
2004026	3'	3"	6"
2004043	5'	3"	6"
2004044	5'	4"	8"
2004027	7'	4"	8"
2004028	8'	4"	8"
2004029	7'	6"	12"
2004030	10'	6"	12"
2004031	14'	6"	12"
2004032	7'	8"	14"
2004033	10'	8"	14"
2004034	14'	8"	14"

# ATTACHMENTS


## LARGE SURFACE FLOOR CLEANING - FLOOR SWEEPS



FIRING RANGES - LEAD DUST



FLOUR AND OTHER FINE DUST



32" FLOOR SWEEP  
DRY MATERIALS

### Dry Applications

Includes squeegee & brush

#### Part # Description

*5018	32" Floor sweep assembly, 2" inlet
7004	32" Floor sweep assembly, 3" inlet
5018DB	32" Floor sweep assembly, 2" inlet for direct bagger
7004DB	32" Floor sweep assembly, 3" inlet for direct bagger

The 32" Floor Sweep is one of Ruwac's most requested attachments because of its extreme versatility and effectiveness. The floor sweep simply mounts onto the front of your Ruwac vacuum via pre-drilled mounting holes and connects to the inlet of the vacuum. Models for wet or dry materials available.

### Wet Applications:

Includes two squeegees

#### Part # Description

501833-2	Use with WSP2000 / H8G110
501833-4	Use with WSP4000 / H18G110
501833-6	Use with "Flood Vac"
5018SLRY	Use with "Slurry Pro"



Ruwac's 42" Floor Sweep, is specifically designed for wet Slurry collection. Large surface floor cleaning has never been this easy and will save your crew both time and money. Only use with the Ruwac Slurry Pro vacuum.



42" FLOOR

PART #5022

NEW RELEASE



SLURRY

HOSES

ACCESSORIES  
PACKAGES

TOOLS & WANDS

ATTACHMENTS

PRE-SEPARATORS

CONNECTORS  
& FILTERS

CENTRAL VACS  
& TUBING

# HIGH EFFICIENCY CYCLONES (HEC) PORTABLE - PRE-SEPARATION SYSTEMS

## PORTABLE CYCLONES

Ruwac's High Efficiency Cyclones (HEC) are a combination of a cyclone and a collection drum. For combustible applications use the 30 gallon drum which is < 8<sup>ft3</sup> which meets the current NFPA requirements. HEC systems are designed to increase your vacuum's collection capacity while extending the life of your vacuum filter and increasing production. Because the cyclones are over 95% efficient with ultra fine dust, you can vacuum for longer periods of time with NO SUCTION LOSS.



no more filter clogs  
combustible dust options  
increase collection capacity

### HEC-S STANDARD



#### hec-s

- 30 or 55 gallons
- 95% Efficient
- Easy Mobility
- Bulk Dust Collection

### HEC-XLT EQUALIZE, LIFT & TIP



#### hec-xlt

- 30 Gallon
- 95% Efficient
- Easy Mobility
- Lifting Mechanism
- Tipping Mechanism
- Equalizer for Plastic Bag Liner
- Forklift Pockets
- Easy Dust Disposal

### HEC-DB DIRECT BAGGER



#### hec-db

- Direct Bagging
- 95% Efficient
- Easy Mobility
- Easy Dust Disposal

### HEC-BG BLAST GATE



#### hec-bg

- 8" Airtight Blast gate
- 95% Efficient
- Manual Discharge
- Easy Mobility
- Easy Dust Disposal
- Forklift Pockets

## BULK COLLECTION SYSTEM



### FIBROUS MATERIAL

- Lint
- Paper
- Blown in Insulation
- Vermiculite
- Styrofoam

## WET COLLECTION SYSTEM



### NON-COMBUSTIBLE LIQUIDS



## ONBOARD RECLAIM SYSTEM

NEW RELEASE

FOR MX360EX



- Reclaim Expensive Metal Powders for Reuse
- Separate Materials Before Entering the Vacuum System
- Limit Hazardous Material Generation and Disposal
- Increase Production and Reduce your Costs

# HIGH EFFICIENCY CYCLONES (HEC) STATIONARY - PRE-SEPARATION SYSTEMS

## CUSTOMIZED FOR YOUR UNIQUE APPLICATION

### CHOOSE COLLECTION SYSTEM:

- 1) 55 gallon drum
- 2) Gaylord container
- 3) Super sack




### DIRECT DRUM FILL WITH 55 GALLON DRUM

- Compact stationary design
- 95% efficient with sub-micron particles

### CHOOSE CFM RANGE:

- 1) CE15: 150 - 325 CFM
- 2) CE18: 325 - 550 CFM



### ROTARY AIR LOCK WITH SUPER SACK

- NFPA compliant 8 vein
- Manual start / stop with overload
- 230/3/60 or 460/3/60 options

## DUMPSTER SEPARATORS



AVAILABLE 1/2, 3/4, 1, 1.5 AND 2  
CUBIC YARD CAPACITY

## CENTRAL VACUUM SYSTEMS

### CUSTOMIZED SOLUTIONS FOR YOUR FACILITY

- Plantwide Housekeeping with Multiple Operators
- Use to Reclaim Valuable Materials for Reuse
- NFPA Compliant Options for Combustible Dust
- Collect into Drums, Bins or "Super Sacks"
- Ask if a "Compact Central System" Might be a Good Option for Your Application.



NOT SURE WHICH HEC IS RIGHT FOR YOU? **CALL 413-532-4030** TO SPEAK WITH A REPRESENTATIVE AND BE SIZED FOR YOUR UNIQUE MATERIALS AND APPLICATION.

HOSES

ACCESSORIES  
PACKAGES

TOOLS & WANDS

ATTACHMENTS

PRE-SEPARATORS

CONNECTORS  
& FILTERS

CENTRAL VACS  
& TUBING

# HOSE CONNECTORS AND Y-ADAPTERS





## CONNECTORS AND REDUCERS

Specifically designed for Ruwac utilities and tools. The dimension labeled "ID" (inside diameter), fits inside another connector or tool. Button Locks (BL) are designed to fit Ruwac vacuum inlets; available in 2", 2.75", and 4" diameters. All are constructed of chrome steel unless otherwise noted.

	<b>Male Inlet Connector</b>  <table><tr><th>Part #</th><th>Description</th></tr><tr><td>*5220-BL</td><td>2" BL x 2" OD</td></tr><tr><td>7018-BL</td><td>2.75" BL x 3" OD</td></tr><tr><td>10038-BL</td><td>4" BL x 4" OD</td></tr></table>	Part #	Description	*5220-BL	2" BL x 2" OD	7018-BL	2.75" BL x 3" OD	10038-BL	4" BL x 4" OD		<b>Hose Reducer</b>  <table><tr><th>Part #</th><th>Description</th></tr><tr><td>*5222</td><td>2" OD x 1.5" OD tool coupler, stainless steel</td></tr><tr><td>5222-BL</td><td>2" BL x 1.5" tool coupler</td></tr></table>	Part #	Description	*5222	2" OD x 1.5" OD tool coupler, stainless steel	5222-BL	2" BL x 1.5" tool coupler		<b>Inlet Reducer w/ Button Lock (OD)</b>  <table><tr><th>Part #</th><th>Description</th></tr><tr><td>*5225-BL</td><td>2" BL x 1.5" OD</td></tr><tr><td>904376-BL</td><td>2.75" BL x 2" OD</td></tr></table>	Part #	Description	*5225-BL	2" BL x 1.5" OD	904376-BL	2.75" BL x 2" OD								
Part #	Description																																
*5220-BL	2" BL x 2" OD																																
7018-BL	2.75" BL x 3" OD																																
10038-BL	4" BL x 4" OD																																
Part #	Description																																
*5222	2" OD x 1.5" OD tool coupler, stainless steel																																
5222-BL	2" BL x 1.5" tool coupler																																
Part #	Description																																
*5225-BL	2" BL x 1.5" OD																																
904376-BL	2.75" BL x 2" OD																																
	<b>Female Hose Ends</b>  <table><tr><th>Part #</th><th>Description</th></tr><tr><td>*5221</td><td>2" OD x 2" ID, fits BL</td></tr><tr><td>7019</td><td>3" OD x 2.75" ID, fits BL</td></tr><tr><td>10038</td><td>4" OD x 4" ID</td></tr></table>	Part #	Description	*5221	2" OD x 2" ID, fits BL	7019	3" OD x 2.75" ID, fits BL	10038	4" OD x 4" ID		<b>Inlet Reducer</b>  <table><tr><th>Part #</th><th>Description</th></tr><tr><td>*908392</td><td>4" OD x 2" OD</td></tr><tr><td>300024</td><td>4" OD x 2.75" ID</td></tr></table>	Part #	Description	*908392	4" OD x 2" OD	300024	4" OD x 2.75" ID		<b>Standard Reducer</b>  <table><tr><th>Part #</th><th>Description</th></tr><tr><td>*5223SS</td><td>2" OD x 1.5" OD</td></tr><tr><td>904376</td><td>2.75" OD x 2" OD</td></tr><tr><td>908362</td><td>4" OD x 2" OD</td></tr><tr><td>90839</td><td>4" OD x 2.75" OD</td></tr><tr><td>90838Z</td><td>4" OD x 3" OD</td></tr></table>	Part #	Description	*5223SS	2" OD x 1.5" OD	904376	2.75" OD x 2" OD	908362	4" OD x 2" OD	90839	4" OD x 2.75" OD	90838Z	4" OD x 3" OD		
Part #	Description																																
*5221	2" OD x 2" ID, fits BL																																
7019	3" OD x 2.75" ID, fits BL																																
10038	4" OD x 4" ID																																
Part #	Description																																
*908392	4" OD x 2" OD																																
300024	4" OD x 2.75" ID																																
Part #	Description																																
*5223SS	2" OD x 1.5" OD																																
904376	2.75" OD x 2" OD																																
908362	4" OD x 2" OD																																
90839	4" OD x 2.75" OD																																
90838Z	4" OD x 3" OD																																
	<b>Hose to Hose Connector</b>  <table><tr><th>Part #</th><th>Description</th></tr><tr><td>90986</td><td>1.5" OD x 1.5" taper</td></tr><tr><td>*90986S</td><td>1.5" OD x 1.5" taper SS</td></tr><tr><td>90988</td><td>2" OD x 2" taper</td></tr><tr><td>90988S</td><td>2" OD x 2" taper SS</td></tr><tr><td>90310Z6</td><td>3" OD</td></tr></table>	Part #	Description	90986	1.5" OD x 1.5" taper	*90986S	1.5" OD x 1.5" taper SS	90988	2" OD x 2" taper	90988S	2" OD x 2" taper SS	90310Z6	3" OD		<b>Inlet Reducer w/ Button Lock (ID)</b>  <table><tr><th>Part #</th><th>Description</th></tr><tr><td>*30009-BL</td><td>2.75" BL x 2" ID Ruwac Inlet, fits BL</td></tr><tr><td>300024-BL</td><td>4" BL x 2.75" ID, fits BL</td></tr><tr><td>908392-BL</td><td>4" BL x 2" ID Ruwac Inlet, fits BL</td></tr></table>	Part #	Description	*30009-BL	2.75" BL x 2" ID Ruwac Inlet, fits BL	300024-BL	4" BL x 2.75" ID, fits BL	908392-BL	4" BL x 2" ID Ruwac Inlet, fits BL		<b>Standard Reducer w/ Button Lock</b>  <table><tr><th>Part #</th><th>Description</th></tr><tr><td>*908362-BL</td><td>4" BL x 2" OD</td></tr><tr><td>90839-BL</td><td>4" BL x 2.75" OD</td></tr><tr><td>90838Z-BL</td><td>4" BL x 3" OD</td></tr></table>	Part #	Description	*908362-BL	4" BL x 2" OD	90839-BL	4" BL x 2.75" OD	90838Z-BL	4" BL x 3" OD
Part #	Description																																
90986	1.5" OD x 1.5" taper																																
*90986S	1.5" OD x 1.5" taper SS																																
90988	2" OD x 2" taper																																
90988S	2" OD x 2" taper SS																																
90310Z6	3" OD																																
Part #	Description																																
*30009-BL	2.75" BL x 2" ID Ruwac Inlet, fits BL																																
300024-BL	4" BL x 2.75" ID, fits BL																																
908392-BL	4" BL x 2" ID Ruwac Inlet, fits BL																																
Part #	Description																																
*908362-BL	4" BL x 2" OD																																
90839-BL	4" BL x 2.75" OD																																
90838Z-BL	4" BL x 3" OD																																

## Y-ADAPTERS

Y-adapters are typically used for attaching or detaching hoses or tools during vacuuming without loss of vacuum pressure. They can be placed at the vacuum inlet or hose end to allow for multiple operators or tools.

<p><b>1.25" Two Flap Valves</b> Use with up to two 1.25" hoses or tools.</p> 	<p><b>1.25" Four Flap Valves</b> Use with up to four 1.25" hoses or tools.</p> 	<p><b>2" Y-Adapter</b> Use with two 2" hoses or tools</p> 	<p><b>3" Y-Adapter</b> Use with two 3" hoses or tools.</p> 																																						
<table><tr><th>Part #</th><th>Description</th></tr><tr><td>*9715</td><td>2" x 1.25" x 1.25"</td></tr><tr><td>9715-BL</td><td>2" BL x 1.25" x 1.25"</td></tr><tr><td>9723</td><td>2.5" x 1.25" x 1.25"</td></tr></table> <p>Four flap valves also available.</p>	Part #	Description	*9715	2" x 1.25" x 1.25"	9715-BL	2" BL x 1.25" x 1.25"	9723	2.5" x 1.25" x 1.25"	<table><tr><th>Part #</th><th>Description</th></tr><tr><td>*972004</td><td>2.75" X (4)1.25" manifold</td></tr><tr><td>972004-BL</td><td>2.75" X (4)1.25" manifold w/ BL</td></tr><tr><td>972019</td><td>4" x (4)1.25" manifold</td></tr><tr><td>972019-BL</td><td>4" X (4)1.25" manifold w/ BL</td></tr></table>	Part #	Description	*972004	2.75" X (4)1.25" manifold	972004-BL	2.75" X (4)1.25" manifold w/ BL	972019	4" x (4)1.25" manifold	972019-BL	4" X (4)1.25" manifold w/ BL	<table><tr><th>Part #</th><th>Description</th></tr><tr><td>90120</td><td>2" x 2" x 2"</td></tr><tr><td>90129</td><td>3" x 2" x 2"</td></tr><tr><td>90120-BL</td><td>2" BL x 2" x 2"</td></tr><tr><td>*90132-BL</td><td>2.75" BL x 2" x 2"</td></tr></table>	Part #	Description	90120	2" x 2" x 2"	90129	3" x 2" x 2"	90120-BL	2" BL x 2" x 2"	*90132-BL	2.75" BL x 2" x 2"	<table><tr><th>Part #</th><th>Description</th></tr><tr><td>*90013Z</td><td>3" x 3" x 3"</td></tr><tr><td>90131</td><td>4" x 3" x 3"</td></tr><tr><td>90128-BL</td><td>2.75" BL x 3" x 3"</td></tr><tr><td>90131-BL</td><td>4" BL x 3" x 3"</td></tr></table>	Part #	Description	*90013Z	3" x 3" x 3"	90131	4" x 3" x 3"	90128-BL	2.75" BL x 3" x 3"	90131-BL	4" BL x 3" x 3"
Part #	Description																																								
*9715	2" x 1.25" x 1.25"																																								
9715-BL	2" BL x 1.25" x 1.25"																																								
9723	2.5" x 1.25" x 1.25"																																								
Part #	Description																																								
*972004	2.75" X (4)1.25" manifold																																								
972004-BL	2.75" X (4)1.25" manifold w/ BL																																								
972019	4" x (4)1.25" manifold																																								
972019-BL	4" X (4)1.25" manifold w/ BL																																								
Part #	Description																																								
90120	2" x 2" x 2"																																								
90129	3" x 2" x 2"																																								
90120-BL	2" BL x 2" x 2"																																								
*90132-BL	2.75" BL x 2" x 2"																																								
Part #	Description																																								
*90013Z	3" x 3" x 3"																																								
90131	4" x 3" x 3"																																								
90128-BL	2.75" BL x 3" x 3"																																								
90131-BL	4" BL x 3" x 3"																																								

## OVEN CLEANING PACKAGE

high temperature up to 540°F

- #501713B** 2" x 13' high temp flexible silicone hose.
- #356160** 1.5" x 60" straight aluminum wand with tool coupling to receive the **#351512** oven tool
- #351512** 1.5" x 12" aluminum oven cleaning tool



**Ruwac**  
R151



PACKAGE **#IND152013HT**

SEE PAGE 5 FOR MORE DETAILS

# FILTERS

## HEPA UPGRADES - A GREATER LEVEL OF PROTECTION

### HEPA 2.0 FILTER

99.97% EFFICIENT @ 0.3 MICRONS

compliant to osha's silica dust standards



Part #	Description
35191CON	For RED LINE 1 Motor Vacuums
35192CON	For RED LINE 2 Motor Vacuums
35193CON	For RED LINE 3 Motor Vacuums

### HEPA MAXX FILTER

99.97% EFFICIENT @ 0.3 MICRONS  
DOP TESTED

hazardous and abatement work




Part #	Description
*35192	For Red Line Series
35193	For Workhorse Series
30123AB	For Powerhouse Series

STOP BLOWING DUST TODAY

PERFECT FOR HAZARDOUS MATERIALS

## FILTER BAGS



Use with Bulk Separator

Part #	Description
9765	Light weight, paper, 55 gallon

## DUSTPAN INSERTS

Part #	Description
*24000	<b>Static-Conductive</b> Disposable 9 gallon dust pan liners



## PLASTIC BAG INSERTS

Part #	Description
970503CASE	Bags for RED LINE vacuums (sold by the case)
970506	Anti-static bags for WORKHORSE and WORKHORSE EX dustpan (sold in packs of 10)
970504	Bags for POWERHOUSE dustpan (sold individually)
970504C	Conductive bags for POWERHOUSE dustpan (sold individually)
970500	Bags for 30 gallon drum (sold individually)
970500C	Conductive bags for 30 gallon drum (sold individually)

## turn your ruwac portable dustpan vacuum into a direct bagger DUSTPAN TO DIRECT BAGGER CONVERSION KIT



Converts to

2" INLET - PURCHASE #565301KIT



Converts to

2.75" INLET - PURCHASE #565370KIT

the red line series bagger vac conversion kit: the flexibility to turn your ruwac portable machine into a direct bagging system at a fraction of the cost of buying a new machine!

HOSES

ACCESSORIES  
PACKAGES

TOOLS & WANDS

ATTACHMENTS

PRE-SEPARATORS

CONNECTORS  
& FILTERS

CENTRAL VACS  
& TUBING

## CENTRAL VACUUM SYSTEMS

HOSES

ACCESSORIES  
PACKAGES

TOOLS & WANDS

ATTACHMENTS

PRE-SEPARATORS

CONNECTORS  
& FILTERS

CENTRAL VACS  
& TUBING



- Plantwide Housekeeping with Multiple Operators
- Use to Reclaim Valuable Materials for Reuse
- Quick Return on Investment
- NFPA Compliant Safe Collection of Combustible Dust
- Collect Materials into Drums, Bins or "Super Sacks"
- Custom Solution Designed for Your Facility

CALL FOR TUBING AND FITTINGS



ASK US HOW A  
"COMPACT CENTRAL  
SYSTEM" COULD  
SAVE YOU  
THOUSANDS OF  
DOLLARS!

## SUPERIOR PERFORMANCE, COST EFFECTIVE SOLUTIONS

Supplying Industrial Vacuum equipment worldwide, we pride ourselves in providing cost effective solutions for general housekeeping to point-of-source extraction while utilizing our unique, state-of-the-art filtration and vacuum systems. Let us assist you with all of your vacuuming needs!

## SOME OF THE VACUUM SYSTEMS WE OFFER:

- Portable Industrial Vacuums
- Explosion Proof Vacuums
- HEPA Vacuums
- Central & Compact Central Systems
- Direct Bagger Vacuums
- Wet Collectors & Immersion Separators
- Continuous Duty Vacuums
- Point of Source Extraction
- Sump Vacuums
- Bulk Collection Systems
- Reclaim and Reuse Systems
- Vacuum Assist Systems
- High Temperature Systems
- Alternative Powered Vacuums



## OEM OPPORTUNITIES:

With Ruwac's extensive product solutions and custom engineering capabilities, we can work together to find a vacuum solution that works with your equipment. Let the vacuum experts insure that your process equipment is dust free.

## INDUSTRIES AND APPLICATIONS:

- Additive Manufacturing
- Food, Grain and Bakeries
- Firing Ranges
- Powder Coating
- Concrete and Silica Dust
- Asbestos and Vermiculite
- Barber Shops
- Metal Working
- Pharmaceuticals
- Welding
- Drywall Sanding
- Wood Floor Finishing
- Automobile Manufacturing
- Oven Cleaning
- Overhead Cleaning
- Slurry Collection

413-532-4030

[WWW.RUWAC.COM](http://WWW.RUWAC.COM)

[INFO@RUWAC.COM](mailto:INFO@RUWAC.COM)