

Ruwac

CONTRACTOR DIVISION PRODUCT GUIDE



Built for the Professional

THE WORLD'S MOST RUGGED INDUSTRIAL VACUUMS

TABLE OF CONTENTS

SURFACE PREP OSHA SILICA SOLUTION

BABY RED PRO	pg. 3
LITTLE RED PRO	pg. 4
RED RAIDER PRO	pg. 5 & 7
THE BEAST	pg. 6
PATRIOT PRO	pg. 8
POWERHOUSE SERIES	pg. 9
HEC SERIES	pg. 10
XLT SERIES	pg. 11

SLURRY MANAGEMENT

SLURRY PRO	pg. 12
SLURRY PRO JR.	pg. 13

ABATEMENT AND RESTORATION

ATTIC VAC - VERMICULITE REMOVAL	pg. 14 & 15
ABATEMENT - RESTORATION	pg. 16
FLOOD PRO - WATER RESTORATION	pg. 17

COMBUSTIBLE DUST

CERTIFIED EXPLOSION PROOF	pg. 18
---------------------------	--------

ALTERNATIVE POWER

PROPANE AND GAS VACS	pg. 19
----------------------	--------

ACCESSORIES

PACKAGES, FLOOR SWEEPS, DUST ARMS...	SEE BACK
---	----------

WWW.RUWAC.COM

CALL (413) 532-4030

EMAIL INFO@RUWAC.COM

SURFACE PREPARATION

OSHA SILICA SOLUTION

R151PRO

BABY RED PRO



THE INFAMOUS "SHOP VAC KILLER"

- **1 Motor** - 120/1/60, 86 H2O", 150 CFM
- Intermittent Duty - Grounded and Non-Sparking by Impact
- "Bulletproof" Oval Composite Modular Housing
- 13 ft² MicroClean Primary Filter - 99% Efficient @ 0.5 Microns
- External Filter Cleaning Mechanism for Dustless Filter Maintenance
- **HEPA 2.0** Secondary Filter - 99.97% Efficient @ 0.3 Microns

OSHA TABLE 1 SIZING CHART

- Up to 6" Handgrinders and Crack Chasers
- Up to 6" Tuck Pointers
- Construction Site Cleanup
- Up to 17" Walk Behind Floor Grinders
- Handheld and Stand-Mounted Drills Including Impact and Rotary Hammer Drills
- Jackhammers
- Handheld Power Chipping Tools
- Drywall Sanding and Dust Recovery

USE UP TO 10' OF HOSE

SURFACE PREPARATION

OSHA SILICA SOLUTION

RB201PRO

LITTLE RED PRO BAGGER

R201PRO

LITTLE RED PRO



SMALL SURFACE PREP APPLICATIONS

- **2 Motor** - 120/1/60, 97 H2O", 200 CFM
- Intermittent Duty - Grounded and Non-Sparking by Impact
- "Bulletproof" Oval Composite Modular Housing
- 13 ft² MicroClean Primary Filter - 99% Efficient @ 0.5 Microns
- External Filter Cleaning Mechanism for Dustless Filter Maintenance
- HEPA 2.0 Secondary Filter - 99.97% Efficient @ 0.3 Microns

OSHA TABLE 1 SIZING CHART

- Up to 7" Handgrinders, Tuck Pointers, and Handheld Crack Chasers
- 8" Scarifiers
- 8" Shotblasters
- Up to 20" Walk Behind Floor Grinders
- Joint Cleanout Saws
- Construction Site Cleanup
- Drywall Sanding and Dust Recovery

SURFACE PREPARATION

OSHA SILICA SOLUTION

RB291PRO

RED RAIDER PRO BAGGER

R291PRO

RED RAIDER PRO



MEDIUM SIZED SURFACE PREP APPLICATIONS

- **3 Motor** - 120/1/60, 75 H2O", 290 CFM
- Intermittent Duty - Grounded and Non-Sparking by Impact
- "Bulletproof" Oval Composite Modular Housing
- 13 ft² MicroClean Primary Filter - 99% Efficient @ 0.5 Microns
- External Filter Cleaning Mechanism for Dustless Filter Maintenance
- HEPA 2.0 Secondary Filter - 99.97% Efficient @ 0.3 Microns

OSHA TABLE 1 SIZING CHART

- Up to 7" Handgrinders, Tuck Pointers, and Handheld Crack Chasers
- 8" Shotblasters
- 10" Scarifiers
- Up to 28" Walk Behind Floor Grinders
- Joint Cleanout Saws
- Construction Site Cleanup
- Drywall Sanding and Dust Recovery

USE UP TO 50' OF HOSE

SURFACE PREPARATION

OSHA SILICA SOLUTION

RB331 PRO

THE BEAST

R331 PRO

QUIET RED 120 PRO



LARGE SURFACE PREP APPLICATIONS

- **3 Motor** - 120/1/60, 75 H₂O", 330 CFM
- Intermittent Duty - Grounded and Non-Sparking by Impact
- "Bulletproof" Oval Composite Modular Housing
- 28 ft² MicroClean Primary Filter - 99% Efficient @ 0.5 Microns
- External Filter Cleaning Mechanism for Dustless Filter Maintenance
- HEPA Maxx Filter - 99.97% Efficient @ 0.3 Microns

OSHA TABLE 1 SIZING CHART

- Up to 7" Handgrinders, Tuck Pointers, and Handheld Crack Chasers
- Up to 10" Shotblasters
- Up to 10" Scarifiers
- Up to 28" Walk Behind Floor Grinders
- Construction Site Cleanup
- Walk Behind Saws and Joint Clean Out Saws
- A 110V vacuum that can do it all

SURFACE PREPARATION

OSHA SILICA SOLUTION

RB352PRO

RED RAIDER PRO BAGGER

R352PRO

RED RAIDER PRO



LARGE SURFACE PREP APPLICATIONS

- **3 Motor** - 240/1/60, 350 CFM, 91 H₂O"
- Intermittent Duty - Grounded and Non-Sparking by Impact
- Compression Cast "Bulletproof" Composite Modular Housing
- 28 ft² MicroClean Primary Filter - 99% Efficient @ 0.5 Microns
- Advanced "Rapid Cool" Heat Displacement
- HEPA 2.0 Secondary Filter - 99.97% Efficient @ 0.3 Microns
- 3" Heavy Duty Non-Marking Double Casters

OSHA TABLE 1 SIZING CHART

- Up to (2) 7" Handgrinders, Tuck Pointers, and Handheld Crack Chasers
- 10" Shotblasters, 13" Scarifiers, Joint Cleanout Saws
- Up to 32" Walk-Behind Floor Grinders
- Construction Site Cleanup
- Drywall Sanding and Dust Recovery

SURFACE PREPARATION

OSHA SILICA SOLUTION

RB472PRO

PATRIOT PRO BAGGER

R472PRO

PATRIOT PRO



LARGE SURFACE PREP APPLICATIONS

- **4 Motor** - 240/1/60, 470 CFM, 97 H₂O"
- Intermittent Duty - Grounded and Non-Sparking by Impact
- "Bulletproof" Oval Composite Modular Housing
- 28 ft² MicroClean Primary Filter - 99% Efficient @ 0.5 Microns
- External Filter Cleaning Mechanism for Dustless Filter Maintenance
- HEPA 2.0 Secondary Filter - 99.97% Efficient @ 0.3 Microns
- Optional 3 Phase Power DBox for Auxiliary + Fused Motor Protection

OSHA TABLE 1 SIZING CHART

- Up to (2) 7" Handgrinders, Tuck Pointers, and Handheld Crack Chasers
- 10" Shotblasters, 13" Scarifiers, Joint Cleanout Saws
- Up to 32" Walk Behind Floor Grinders
- Construction Site Cleanup
- Drywall Sanding and Dust Recovery

SURFACE PREPARATION OSHA SILICA SOLUTION

POWERHOUSE SERIES

POWERFUL CONTINUOUS DUTY



PB500



P500

EXTRA LARGE SURFACE PREP APPLICATIONS

- **PB384** - 7.5 Hp Motor, 460/3/60, 98 H₂O", 380 CFM (Direct Bagger)
- **P500** - 10 Hp Motor, 230/3/60 or 460/3/60, 94 H₂O", 500 CFM
- **PB500** - 10 Hp Motor, 230/3/60 or 460/3/60, 500 CFM (Direct Bagger)
- 48 ft² MicroClean Primary Filter - 99% Efficient @ 0.5 Microns
- Powerful Multi-Stage Turbines

OSHA TABLE 1 SIZING CHART

- Up to (3) 7" Handgrinders, Tuck Pointers, and Handheld Crack Chasers
- 10" Shotblasters
- Up to 54" Walk Behind Floor Grinders
- 13" Scarifiers
- Joint Cleanout Saws and Walk Behind Saws

CONTINUOUS DUTY - MORE POWER

SURFACE PREPARATION OSHA SILICA SOLUTION

HEC SERIES HIGH EFFICIENCY CYCLONES



PRE-SEPARATOR AND BULK MATERIAL COLLECTION

- **HEC-S** - Standard High Efficiency Cyclone System
 - **HEC-DB** - Direct Bagging HEC System
 - **HEC-XLTCON** - Advanced HEC System with Equalize/Lift/Tip Abilities
- Easily Connects to Vacuum Hose for Pre-Separation
 - 95% Efficiency or Better with Ultra Fine Dust
- Eliminates Filter Clogging While Increasing Collection Capacity
 - Drastically Extends Life of Vacuum Filters
- OSHA Recommends a Cyclonic Pre-Separator for Certain Table 1 Tasks
 - Tipping Drum, Plastic Bag Liner and Lifting Assembly

SURFACE PREPARATION OSHA SILICA SOLUTION

XLT SERIES

ALL IN ONE VACUUM AND PRE-SEPARATOR

POWER PERFORMANCE AND EFFICIENCY

RX331PRO

3 MOTOR, 120 VOLT
330 CFM

RX472PRO

4 MOTOR, 240 VOLT
470 CFM

WX306

13 HP - GAS
330 CFM



RX331PRO



WX306

XLT BENEFITS

- Power and Performance of the Vacuum System Paired with the Efficiency of the Pre-Separator, all on one Convenient Frame!
- Vacuum, Separate, Lift, Tip and Empty

THE ULTIMATE CONFIGURATION

SLURRY MANAGEMENT

SLURRY PRO

SLURRY COLLECTION


OPTION 1:

42" FLOOR SWEEP



OPTION 2:

32" FLOOR SWEEP



OPTION 3:

20" FLOOR TOOL



SLURRY PRO FEATURES AND SPECS

- **2 Motor** - 120/1/60, 200 CFM, 97 H₂O"
- "Bulletproof" Oval Composite Modular Housing
- Industry Leading Return Pump Designed for Abrasive Solids (38 GPM)
- 32 Gallon Liquid Collection Capacity
- 44 ft² of Hydrophobic Filtration - 99% @ 0.5 Micron Efficiency
- Positive Closure Float for Liquid Fill Shutoff

SLURRY MANAGEMENT

SLURRY PRO JR.

SLURRY COLLECTION

COMES STANDARD WITH:
32" FLOOR SWEEP



ADDITIONAL OPTION:
20" FLOOR TOOL
W/UP TO 25' OF HOSE




SLURRY PRO JR. FEATURES AND SPECS

- **1 Motor** - 120/1/60, 110 CFM, 107 H₂O"
- Compression Cast "Bulletproof" Composite Modular Housing
- Industry Leading Return Pump Designed for Abrasive Solids (38 GPM)
- 20 Gallon Liquid Collection Capacity
- 2" Gate Valve for Easy Clean Out
- Positive Closure Float for Liquid Fill Shutoff

ABATEMENT VERMICULITE REMOVAL

ATTIC VAC VERMICULITE REMOVAL



ATTIC VAC - PK

ATTIC VAC FEATURES AND SPECS

- **3 Motor** - 240/1/60, 300 CFM, 149 H2O"
- Includes 150' x 3" Hose
- 12" High Efficiency Cyclone, 55 Gallon Tipping Drum with Lifting Assembly, Plastic Bag Liner and Bulk Removal System for Vermiculite
- Optional Bulk Collector Captures Blown in Insulation
- 40 ft² HEPA Filter Purifies and Returns Clean air Down to 0.3 Microns
- Vacuum Capable of Multi-User Functionality

ABATEMENT VERMICULITE REMOVAL

ATTIC VAC VERMICULITE REMOVAL



ATTIC VAC OPTIONS

ATTIC VAC JR.

2 MOTOR, 120 VOLT
200 CFM

ATTIC VAC - PK

3 MOTOR, 240 VOLT
300 CFM

ATTIC VAC PRO

3 MOTOR, 240 VOLT
300 CFM

ATTIC VAC PRO



ATTIC VAC BENEFITS

- Faster and safer vermiculite solution to collect and contain hazardous materials without exposing the operator during the process.
- No more shoveling vermiculite by hand into bags or setting up containment indoors.

R201H

WITH HEPA MAXX FILTER



VACUUM SPECS

- **2 Motor** - 120/1/60, 200 CFM, 97 H₂O"
- "Bulletproof" Oval Composite Modular Housing
- 13 ft² MicroClean Primary Filter - 99% Efficient @ 0.5 Microns
- External Filter Cleaning Mechanism for Dustless Filter Maintenance
- **HEPA Maxx Secondary Filter** - 99.97% Efficient @ 0.3 Microns

HEPA VACUUM FOR HAZARDOUS MATERIALS

- Fire Restoration
- Mold, Lead and Asbestos Abatement
- Construction Site Cleanup
- General Housekeeping of Non-Combustible Dust
- Wood Floor Re-finishing
- Mastic Grinding

FLOOD PRO

FOR FLOODS AND WATER REMOVAL

INCLUDES:

32" FLOOR SWEEP



A POWERFUL MOBILE FLOOD EXTRACTOR

- **1 Motor** - 120/1/60, 112 CFM, 107 H2O"
- Only a Single 120V 15 Amp Power Supply is Required
- "Bulletproof" Oval Composite Modular Housing
- Separate Return Pump for Simultaneous Vacuum & Discharge (38 GPM)
- 20 Gallon Liquid Capacity
- 2" Slide Gate for Manual Liquid Discharge
- 8" Slide Gate for Manual Solids Discharge
- Positive Closure Float for Liquid Fill Shutoff

DON'T GET CAUGHT WITHOUT IT.

CERTIFIED EXPLOSION WORKHORSE EX SERIES



W151EX



W300EX

EX MACHINES FOR COMBUSTIBLE DUST

- **W151EX** - 120/1/60, 1.5 Hp Motor, 75 H₂O", 150 CFM
- **W300EX** - 230/3/60 or 460/3/60, 5 Hp Motor, 84 H₂O", 300 CFM
- Class I, Div 1,2 (Group D), Class II, Div 1,2 (Groups F & G)
- Compliant to **NFPA 652** and **NFPA 654** Standards
- "Bulletproof" Oval Composite Modular Housing
- TEFC Motor for Continuous Duty Operation
- Optional HEPA Maxx and ULPA Filtration for air Purification
- Fully Grounded to Protect Against Static Build-up
- Ideal for Overhead Cleaning and Industrial Cleaning of Ultra Fine Dusts
- Other Performance and CFM Options Available

OUTDOOR APPLICATIONS ALTERNATIVE POWER

ALTERNATIVE POWER

GAS AND PROPANE VACUUMS

W306



ALTERNATIVE POWER OUTDOOR SURFACE PREP

- **WB307** - 13 Hp Propane Powered, 104 H₂O", 330 CFM
- **W306** - 13 Hp Gas Powered, 104 H₂O", 330 CFM
- **W307** - 13 Hp Propane Powered, 104 H₂O", 330 CFM
- **P636** - 18 Hp Gas Powered, 80 H₂O", 630 CFM
- **PB636** - 18 Hp Gas Powered, 80 H₂O", 630 CFM (Direct Bagger)
- **P637** - 18 Hp Propane Powered, 80 H₂O", 630 CFM
- **PB637** - 18 Hp Propane Powered, 80 H₂O", 630 CFM (Direct Bagger)

OSHA TABLE 1 SIZING CHART

- Up to (3) 7" Handgrinders, Tuck Pointers, and Handheld Crack Chasers
- 10" Shotblasters and 13" Scarifiers
- Up to 54" Walk Behind Floor Grinders
- Joint Cleanout Saws and Walk Behind Saws
- For use in applications where electricity is not available

ALTERNATIVE POWER VACUUMS

INDUSTRY-LEADING TOOLS AND ACCESSORIES

ACCESSORY PACKAGES

#CON152010 10' OF HOSE

#CON152025 25' OF HOSE

- Crushproof Hose With Connectors
- 2" x 56" Chrome Wand
- 14" Rubber Squeegee Floor Tool



32" FLOOR SWEEP



FOR DRY OR WET MATERIALS

20" FLOOR TOOL



#5060

DUST ARM ASM



PART #2004023

HEPA 2.0 FILTER

99.97% EFFICIENT @ 0.3 MICRONS



DUST EXTRACTION ARM: **#2004023**

RUWAC TOOL/HOSE BAG: **#99980**

HEPA MAXX UPGRADE KIT: **#35192**

NEW LOC-LINE DUST ARM: **#89233**

NEW 42" FLOOR SWEEP: **#5022**

Part #	Description
35191CON	For RED LINE 1 Motor Vacuums
35192CON	For RED LINE 2 Motor Vacuums
35193CON	For RED LINE 3 Motor Vacuums

WWW.RUWAC.COM

CALL (413) 532-4030

EMAIL INFO@RUWAC.COM