INDUSTRIAL VACUUM ACCESSORIES



BONDED AND GROUNDED TOOLS • DUST EXTRACTION ARMS • HIGH EFFICIENCY CYCLONES • FILTERS LARGE SURFACE FLOOR CLEANING • HOSES • FOOD GRADE TOOLS • OVERHEAD CLEANING • OVEN CLEANING



54 Winter St Holyoke MA, 01040

413-532-4030 WWW.ruwac.com info@ruwac.com

Towac

Dear Customer,

Congratulations on the purchase of your new Ruwac Industrial Vacuum Cleaner!

We stand behind every vacuum we manufacture and pride ourselves in only recommending machines and components that are best suited for your unique application. Our goal is to exceed all of your expectations.

We also want you to be aware of everything that Ruwac offers. This accessory catalog provides you with information on our most popular packages and tools, compares our variety of hoses, and introduces you to our central vacuum products and separation systems.

Need something that you can't find in this catalog? Please, call us. If we do not already carry it, we will find it for you!

Because your business is unique, we want to provide individual solutions for your housekeeping needs. Ask us for a "Needs Assessment" and we will make sure you get just the right vacuum and accessories for your housekeeping needs.

Sincerely,

The Ruwac USA Team

TABLE OF CONTENTS:

Hoses:	3
Accessory Packages:	4 - 6
Hose Connectors:	7
Tools and Wands:	8 - 11
Attachments:	12 - 13
Pre-Separators:	14 - 15
Filters:	16
Notes:	17
Central Vacs and Tubing:	End Page

Independently owned and operated, all design, engineering, drafting and manufacturing of Ruwac USA products takes place in our own ISO-9001 certified, 65,000 ft² production facility in Holyoke, Massachusetts.

54 Winter St., Holyoke, MA 01040

(413) 532-4030 info@ruwac.com www.ruwac.com

ACCESSORY PACKAGES - PAGE 4-6 TOOLS AND WANDS - PAGE 7-11

DUST EXTRACTION ARMS

PAGE 13

FLOOR SWEEPS DRY MATERIALS, WET COLLECTION & SLURRY

VACUUM HOSES

209550C 351650C 501450C N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	209525C 3 351625C 4 501425C 4 1003725C 5 35163C25C 5 35163C25C 5 35163C25C 5 353425A 6 301325A 7 353425A 6 353425A 6 353425A 7 353425A 6 353425A 6 353925A 7 350925A 6 350925A 6	2" 3" 4" 5" 2" 3" 4" 0.5" 0.75" 0.75" 1" 5" 6" 1.06"	0.216 0.296 0.52 0.592 0.216 0.296 0.25 0.17 0.23 0.32 0.62 1.08 0.18
501450C 701250C N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	501425C 8 701225C 8 1003725C 8 2095SC25C 8 3516SC25C 8 50143C25C 8 209725A 8 502725A 8 701325A 8 N/A 8 259925A 8 350925A 8	4" 5" 2" 3" 4" 0.5" 0.75" 1" 5" 6"	0.52 0.592 0.216 0.296 0.25 0.17 0.23 0.32 0.62 1.08
701250C N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	701225C 1003725C 2095SC25C 3516SC25C 209725A 353425A 502725A 701325A N/A 259925A 359925A 509925A	5" 2" 3" 4" 0.5" 0.75" 1" 5" 6"	0.592 0.216 0.296 0.25 0.17 0.23 0.32 0.32 0.62 1.08
N/A N/A	1003725C 2095SC25C 3516SC25C 5014SC25C 209725A 353425A 502725A 701325A N/A 259925A 359925A 509925A	2" 3" 4" 0.5" 0.75" 1" 5" 6"	0.216 0.296 0.25 0.17 0.23 0.32 0.62 1.08
N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2095SC25C 3516SC25C 5014SC25C 209725A 353425A 502725A 701325A N/A 259925A 359925A 509925A	3" 4" 0.5" 0.75" 1" 5" 6"	0.296 0.25 0.17 0.23 0.32 0.62 1.08
N/A N/A N/A N/A N/A N/A N/A N/A N/A	3516SC25C 5014SC25C 209725A 353425A 502725A 701325A N/A 259925A 359925A 509925A	3" 4" 0.5" 0.75" 1" 5" 6"	0.296 0.25 0.17 0.23 0.32 0.62 1.08
N/A N/A N/A N/A N/A N/A N/A N/A	5014SC25C 209725A 353425A 502725A 701325A N/A 259925A 359925A 509925A	4" 0.5" 0.75" 1" 5" 6"	0.25 0.17 0.23 0.32 0.62 1.08
N/A N/A N/A N/A N/A N/A N/A N/A	209725A 353425A 502725A 701325A N/A 259925A 359925A 509925A	0.5" 0.75" 1" 5" 6"	0.17 0.23 0.32 0.62 1.08
N/A N/A N/A N/A N/A N/A N/A	353425A 502725A 701325A N/A 259925A 359925A 509925A	0.75" 1" 5" 6"	0.23 0.32 0.62 1.08
N/A N/A N/A N/A N/A N/A	502725A 701325A N/A 259925A 359925A 509925A	1" 5" 6"	0.32 0.62 1.08
N/A N/A N/A N/A N/A	701325A N/A 259925A 359925A 509925A	5" 6"	0.62
N/A N/A N/A N/A	N/A 259925A 359925A 509925A	6"	1.08
N/A N/A N/A	259925A 359925A 509925A		
N/A N/A N/A	359925A 509925A	1.06"	0.18
N/A N/A	509925A		0.10
N/A N/A	509925A	1.22"	0.21
N/A			
	709925A	1.5"	0.27
		2.07"	0.395
N/A	N/A	2.69"	0.54
N/A	355025A	1.14"	0.35
N/A	502025A	1.36"	0.445
N/A	705025A	2.58"	0.705
		0	
CUFFS	ROUNDED	= C	
	FS = D		
50'	25'	Bend Radius	lbs. / ft
N/A	352925D	3"	0.46
N/A	501525D	5"	0.62
N/A	700225D	7"	1
702550C	702525C		
N/A	702525A	3.0"	.40"
N/A	N/A	1.2"	.24"
	N1/A	E 011	40"
7044500	N/A	5.0″	.42"
701450D			
701450D		1 5"	.275"
	N/A N/A	701450D	

413-532-4030

WWW.RUWAC.COM INFO@RUWAC.COM

FILTERS

CENTRAL VACS & TUBING

HOSES

ACCESSORY PACKAGES

CLASS I & II DIVISION 1 & 2 EXPLOSION PROOF ACCESSORY PACKAGES - NFPA

1.5" CONDUCTIVE, BONDED AND GROUNDED

PACKAGE #EXP151510CB

*Available with 25' hose

#359910A	1.5" x 10' explosion proof poly-urethane hose with grounded cuffs	
#3502	1.5" x 54" aluminum two-piece wand with double bend	
#3512AM	14" metal floor tool with anti-static bristles	
#3507	11" aluminum crevice tool	
#3520C	3" round conductive brush, carbon impregnated, nylon bristles	
	· · · · · · · · · · · · · · · · · · ·	

Ruwac's **#EXP151510CB** is engineered for explosion proof applications and includes a 1.5" x 10' flexible grounded poly-urethane hose along with 1.5" tools. This explosion proof kit has everything you need to clean fine dust off of your production equipment, floors and walls. No wonder this is *Ruwac's* **BEST SELLING** package.

PACKAGE #EXP151510FCB *Available with 25' hose

#359910A #3502 #35658	 1.5" x 10' explosion proof poly-urethane hose with grounded cuff 1.5" x 54" aluminum two-piece wand with double bend 16" rubber floor tool, conductive rubber and rollers for effortless
#3507	cleaning of large floor areas 11" aluminum crevice tool
#3520C	3" round conductive brush, carbon impregnated, nylon bristles

For those who want to clean large areas of floor while also having the tools to clean process equipment. Package **#EXP151510FCB** is an extremely popular package because of it's versatility and effectiveness at picking up combustible dusts regardless of the application.

PACKAGE #EXP15ER

#356160	Quantity (2) - 1.5" x 60" straight aluminum wands w/ coupling to receive tools
#3509H	9" x 1.5" aluminum wall brush with horsehair bristles
#3545	4-6" x 1.5" curved metal tool for removing ultra fine dust off overhead pipes. Nylon bristles

Ruwac's **#EXP15ER** is essential for any building with overhead piping, ductwork, rafters or columns where ultra-fine dust can build up over time. Cleaning this dust before it is disturbed and becomes airborne could prevent products below from being contaminated and can also help to prevent an explosion.

2" CONDUCTIVE, BONDED AND GROUNDED

PACKAGE #EXP202025FC

Purveo's #EXP20202EEC is anging and for explosion proof applications and some a	
#50652	4" conductive round rubber brush w/ brass bristles
#5060	20" aluminum floor tool with rollers and rubber strips
#5016S	15" stainless steel crevice tool
#5003S	2" x 45" stainless steel wand with single bend
#509925A	$2"\ x\ 25'\ explosion\ proof\ poly-urethane\ hose\ with\ grounded\ cuffs$

Ruwac's **#EXP202025FC** is engineered for explosion proof applications and comes with a 2" x 25' flexible poly-urethane hose along with 2" tools. The 2" explosion proof kit has everything you need to clean fine dust off of your production equipment. The addition of the 20" floor tool with rollers gives you the ability to effortlessly clean large floor areas without wearing down the tool's rubber strips.

PACKAGE #EXP20ER

#3509N	9" nylon bristle wall brush	
#5038-BL	2" x 54" aluminum wand w/BL	
#503710-BL	54" aluminum wand extension w/BL	
#3545	4-6", metal, pipe cleaning tool	

The **#EXP20ER** is designed for overhead pipes, ductwork, rafters, and walls where fine dust can build up over time. Cleaning this dust before it is disturbed and becomes airborne could prevent contamination and help to prevent an explosion.







NFPA COMPLIANT

NFPA COMPLIANT





CLASS II DIVISION 2 INDUSTRIAL GROUNDED ACCESSORY PACKAGES

1.5" GROUNDED

PACKAGE #IND151510C

#353410A1.5" X 10' flexible, anti-static vinyl hose with grounded cuffs#35021.5" x 54" aluminum two-piece wand with double bend#3512AM14" metal floor tool with anti-static bristles#350711" aluminum crevice tool

Ruwac's **#IND151510C** can be used with many different *Ruwac* vacuums however it is most commonly paired with the R150 **"Shop Vac Killer"**. Class II Division 2 and fully grounded, the **#IND151510C** is perfect for **bakeries** and any other application that has fine dusts, powders or ingredients.

PACKAGE #IND15ER

#356160 #3509N 1.5" x 60" straight aluminum wand with coupling to receive tools 9" x 1.5" aluminum wall brush with nylon bristles

Ruwac's **#IND15ER** is a lightweight wall cleaning package that includes a 5 foot aluminum wand as well as a 9" aluminum brush with nylon bristles. Clean the walls of your manufacturing or processing plant and extend your reach for other hard to reach areas.

2" GROUNDED

PACKAGE #IND152010

*Available	with	25' I	hose
------------	------	-------	------

#502710A	2" x 10' flexible, anti-static vinyl hose with grounded cuffs
#5004	2" x 56" 2 piece chrome wand with double bend and 1.5" coupler
#3512AM	14" metal floor tool with anti-static bristles

Ruwac's **#IND152010** is the 2" starter kit for industrial packages containing a 2" x 10' flexible anti-static vinyl hose, a 56" chrome wand and a 14" metal floor tool with bristles.

PACKAGE #IND202010F

*Available with 25' hose

#502710A2" x 10' flexible, anti-static vinyl hose with grounded cuffs#50032" x 45" one-piece chrome wand with single bend#506020" aluminum floor tool with rollers and rubber strips

The **#IND202010F** is designed for large surface floor cleaning. The 20" floor tool with rollers effortlessly glides across the ground and is perfect for a variety of industries and applications.

PACKAGE #IND202010HDF

*Available with 25' hose

#502010A2" x 10' flexible, grounded heavy duty urethane hose#50032" x 45" one-piece chrome wand with single bend#506020" aluminum floor tool with rollers and rubber strips.

The **#IND202010HDF** is designed for large floor cleaning applications and **general housekeeping** of rough abrasive materials. The 20" floor tool with rollers effortlessly glides across the ground while the heavy duty urethane hose ensures longevity and performance, even against the toughest materials.

PACKAGE #IND152013HT

#501713B	2" x 13' high temp flexible silicone hose. Maximum temp 540°F
#356160	1.5" x 60" straight aluminum wand with tool coupling to receive the #351512 oven tool
#351512	1.5" x 12" aluminum oven cleaning tool with a flat metal bottom

Ruwac's **#IND152013HT** is a popular package for bakeries, pizza shops, food manufacturing plants and any other business with **hot ovens**. The high temperature silicone hose is 13' long for deep ovens and rated up to 540°F. The 5 foot aluminum wand attaches to the 12 inch oven cleaning tool and leaves no crumbs behind.







ATTACHMENTS

PRE-SEPARATO

CLASS II DIVISION 2 INDUSTRIAL GROUNDED ACCESSORY PACKAGES

se

2" GROUNDED

PACKAGE	E #IND152010FCB	*Available with 25' ho
#5222	2" OD connector to 1.5" tool coup	ler, stainless steel, adapter
#5004	2" x 56" 2-piece wand	
#3512AM	14" floor tool w/anti-static bristles	
#502710A	2" x 10' flexible vinyl hose	
#3507	11" aluminum crevice tool	
#3520C	3" round conductive brush, carbon	n impregnated, nylon bristles

Ruwac's #IND152010FCB is the 2" kit for industrial packages containing a 2" x 10' or optional 2" x 25' flexible antistatic vinyl hose including a vacuum wand, floor tool, and hand accessories for cleaning hard to reach areas.

PACKAGE #IND202010FCB *Available with 25' hose

#5003	45" single piece chrome steel wand
#5060	20" floor tool
#502710A	2" x 10' flexible vinyl hose
#5016	15" aluminum crevice tool
#50660	3" round brush w/2" stainless steel hose connector

The #IND202010FCB is designed for general purpose cleaning. Our flexible grounded hose and the 20° floor tool with rollers effortlessly glides across the ground and is perfect for a variety of industries and applications. The included 3° round brush and 15° crevice tool are great for cleaning in and around equipment and tight spaces.

PACKAGE #IND202025PC


#5004	2" x 56" wand, DBL bend, CHROM 2 PC, 1.5" metal tool coupling					
#3512AM	14" floor tool, metal body with anti-static bristles					
#5038	2" x 54" wand, aluminum, straight					
#3509N	9" wall brush, nylon bristles					
#5222	adapter, stainless, 2" OD connector to 1.5" tool coupler					
#502725Δ	2" x 10' or 2" x 25' hose flexible vinvl grounded with rubber cuffs					



Ruwac's IND202025PC 2" accessory kit was designed with the powder coater in mind. Commonly used accessories were combined to create the ultimate powder coating accessory kit to effortlessly clean your spray booth floor, walls, and equipment from overspray and other debris. Available in 10' or 25' hose lengths.

NON-GROUNDED, FINAL CLEAN, DRY COLLECTION

PACKAGE	E #CON152010	*Ava
#5004	2" x 56" 2-piece wand	
#3517GR	14" floor tool (squeegee)	
#501410C	2" x 10' plastic crush proof hose	



NON-GROUNDED, WET COLLECTION

The General Purpose Package by Ruwac is ideal for use with any Ruwac portable vacuum

PACKAGE #CON151510W

designed for many applications.

*Available with 25' hose

ilable with 25' hose

#5225-BL	2" x 1.5" x 6.5" long SS reducer with button lock
#3517GR	14" floor tool, squeegee, double bladed, natural rubber
#3502	1.5" x 54", aluminum, 2-piece wand, 1.5" tool coupler
#351610C	1.5" x 10' hose, plastic crush proof, non-grounded cuffs

The 1.5" Wet Collection Accessory Package by Ruwac includes 1.5" tools and is ideal for use with any Ruwac portable vacuum designed for wet applications such as those found within our SumpPro Series.



Easily collect fine to heavy bulk materials with Ruwac tools and vacuums.

POWDER COATING



2" GROUNDED POWDER COATING KIT

FILTERS

HOSE CONNECTORS AND Y-ADAPTERS


CONNECTORS AND REDUCERS

Specifically designed for Ruwac utilities and tools. The dimension labeled "ID" (inside diameter), fits inside another connector or tool. Button Locks (BL) are designed to fit Ruwac vacuum inlets; available in 2", 2.75", and 4" diameters. All are constructed of chrome steel unless otherwise noted.

	Male Inlet Connector	Hose Reducer		Inlet Reducer w/ Button Lock (OD)
0	Part # Description *5220-BL 2" BL x 2" OD 7018-BL 2.75" BL x 3" OD 10038-BL 4" BL x 4" OD	Part # Description *5222 2" OD x 1.5" OD tool coupler, stainless steel 5222-BL 2" BL x 1.5" tool coupler	• •	Part # Description *5225-BL 2" BL x 1.5" OD 904376-BL 2.75" BL x 2" OD
	Female Hose Ends	Inlet Reducer		Standard Reducer
	Part # Description *5221 2" OD x 2" ID, fits BL 7019 3" OD x 2.75" ID, fits BL 10038 4" OD x 4" ID	Part # Description *908392 4" OD x 2" OD 300024 4" OD x 2.75" ID		Part # Description *5223SS 2" OD x 1.5" OD 904376 2.75" OD x 2" OD 908362 4" OD x 2" OD 908382 4" OD x 2.75" OD 90838Z 4" OD x 3" OD
Hose to Hose Connector		Inlet Reducer w/ Button Lock (ID)		Standard Reducer w/ Button Lock
and the	Part # Description 90986 1.5" OD x 1.5" taper *90986S 1.5" OD x 1.5" taper SS 90988 2" OD x 2" taper 90988S 2" OD x 2" taper SS 9031026 3" OD	Part # Description *30009-BL 2.75" BL x 2" ID Ruwac Inlet, fits BL 300024-BL 4" BL x 2.75" ID, fits BL 908392-BL 4" BL x 2" ID Ruwac Inlet, fits BL	000	Part # Description *908362-BL 4" BL x 2" OD 90839-BL 4" BL x 2.75" OD 90838Z-BL 4" BL x 3" OD

Y-ADAPTERS

Y-adapters are typically used for attaching or detaching hoses or tools during vacuuming without loss of vacuum pressure. They can be placed at the vacuum inlet or hose end to allow for multiple operators or tools.




OVEN CLEANING PACKAGE High Temperature Up To 540°F #501713B 2" x 13' high temp flexible silicone hose. #356160 1.5" x 60" straight aluminum wand with tool coupling to receive the #351512 oven tool #351512 1.5" x 12" aluminum oven cleaning tool PACKAGE #IND152013HT SEE PAGE 5 FOR MORE DETAILS

HOSES

CENTRAL VACS

INDUSTRIAL TOOLS AND WANDS 1.5" - CLASS II, DIVISION 2


1.5" RUBBER BODY TOOLS



1.5" WANDS




RUWAC TOOL MANAGEMENT



INDUSTRIAL TOOLS AND WANDS 2" - CLASS II, DIVISION 2

2" RUBBER BODY TOOLS



2" METAL TOOLS



EXPLOSION PROOF TOOLS AND WANDS 1.5" - CONDUCTIVE, BONDED & GROUNDED

1.5" METAL TOOLS - NFPA COMPLIANT FOR COMBUSTIBLE DUST



1.5" WANDS - NFPA COMPLIANT FOR COMBUSTIBLE DUST

* Indicates that product is shown in the image



OVERHEAD CLEANING BRUSHES

Body
Description 1" - 3" Nylon bristles (LEFT)
4" - 6" Nylon bristles (MIDDLE)
6" - 12" Nylon bristles (RIGHT)




FILTERS

EXPLOSION PROOF TOOLS AND WANDS 1.5" AND 2" - CONDUCTIVE, BONDED & GROUNDED

1.5" & 2" STATIC CONDUCTIVE RUBBER TOOLS - NFPA COMPLIANT FOR COMBUSTIBLE DUST

Part # 35656 *50656	ility Tool Description 1.5" hose connection 2" hose connection L 2" hose connection W/BL		und Brush w/ Brass and Bristles	Bulk P	Pickup Tool
		Part # 35652 *50652 50652-BL	Description 1.5" hose connection 2" hose connection 2" hose connection w/ button lock	Part # 35651 *50651 50651-BL	Description 1.5" hose connection 2" hose connection 2" hose connection w/ button lock
6" Cre	vice Tool	16" Cr	evice Tool	• NON-	Y CONDUCTIVE SCRATCHING AND SEMI-FLEXIBLE OR 2" STAINLESS CONNECTORS
Part # 35654 *50654 50654-BL	Description 1.5" hose connection 2" hose connection 2" hose connection w/ button lock	Part # 35657 *50657 50657-BL	Description 1.5" hose connection 2" hose connection 2" hose connection w/ button lock		
8" Bent Rubber Nozzle		12" Flo w/ 90°	exible Rubber Nozzle Bend		
Part # 35653 *50653 50653-BL	Description 1.5" hose connection 2" hose connection 2" hose connection w/ button lock	Part # 35655 *50655 50655-BL	Description 1.5" hose connection 2" hose connection 2" hose connection w/ button lock		BEST SELLERS

2" METAL TOOLS - NFPA COMPLIANT FOR COMBUSTIBLE DUST



2" x 54" Straight Aluminum Wands Recommended for Overhead Cleaning and walls	503710-BL	2" x 45" Single Bend with Tapered		
,	503720-BL		onnection nded for floors	
Part # Description 503710-BL 2" BL x 2" ID fits BL	503730-BL			
503720-BL 2" BL x 2" Taper fitting 503730-BL 2" BL x 2" OD w/30° Angle	5038	Part #	Description	
5038 2" x 1.5" Tool Coupler 5038-BL 2" BL x 1.5" Tool Coupler	5038-BL	*5003-S 5003S-BL	Friction fit, stainless steel wand Friction fit, stainless steel wand with BL	

HOSES

ATTACHMENTS POINT OF SOURCE EXTRACTION - DUST ARMS



Ruwac's **Dust Extraction Swing Arm** safely removes airborne dusts, gases and smoke emitted during manufacturing processes such as stirring and mixing, dumping, pouring and welding. The Dust Arm continues to be one of Ruwac's best selling accessories because of how easy it is to install onto the vacuum, it's hands-free ease of use and unparalleled effectiveness for ultra-fine point of source dust collection.



Ruwac's anti-static Loc-Line Dust Extraction Arm is manufactured out of a Food Grade material making it an ideal attachment for bakeries, pizza shops and food processing plants. The arm connects to a Ruwac hose and clamps onto a mixing bowl, dumping station, or wherever you need suction for point of source dust extraction. Bend the Loc-Line arm into the configuration that fits your needs and the arm will stay in that position until altered.



WALL MOUNTED ARM MODEL NUMBER	ARM REACH	ARM DIAMETER	AVAILABLE HOOD DIAMETER
2004026	3'	3"	6"
2004043	5'	3"	6"
2004044	5'	4"	8"
2004027	7'	4"	8"
2004028	8'	4"	8"
2004029	7'	6"	12"
2004030	10'	6"	12"
2004031	14'	6"	12"
2004032	7'	8"	14"
2004033	10'	8"	14"
2004034	14'	8"	14"

ATTACHMENTS LARGE SURFACE FLOOR CLEANING - FLOOR SWEEPS



The 32" Floor Sweep is one of Ruwac's most requested attachments because of it's extreme versatility and effectiveness. The floor sweep simply mounts onto the front of your Ruwac vacuum via pre-drilled mounting holes and connects to the inlet of the vacuum. Models for wet or dry materials available.



Ruwac's **42" Floor Sweep,** is specifically designed for wet Slurry collection. Large surface floor cleaning has never been this easy and will save your crew both time and money. Only use with the Ruwac Slurry Pro vacuum.





HIGH EFFICIENCY CYCLONES (HEC) PORTABLE - PRE-SEPARATION SYSTEMS

PORTABLE CYCLONES

Ruwac's High Efficiency Cyclones (HEC) are a combination of a cyclone and a collection drum. For combustible applications use the 30 gallon drum which is < 8^{ft3} which meets the current NFPA requirements. HEC systems are designed to increase your vacuum's collection capacity while extending the life of your vacuum filter and increasing production. Because the cyclones are over 95% efficient with ultra fine dust.

you can vacuum for longer periods of

time with NO SUCTION LOSS.

FILTERS

HEC-S

• 30 or 55 gallons

TYPE S

STANDARD

- 95% Efficient
- Easy Mobility
- Bulk Dust Collection

TYPE XLT EQUALIZE, LIFT & TIP



HEC-XLT

- 30 Gallon
- 95% Efficient
- Easy Mobility
- Lifting Mechanism
- Tipping Mechanism
- Equalizer for Plastic Bag Liner

ซึ่งเลย

- Forklift Pockets
- Easy Dust Disposal

BULK COLLECTION SYSTEM #995470/70






- **FIBROUS MATERIAL** Lint
- Paper
- Blown in Insulation
- Vermiculite
- Styrofoam

WET COLLECTION SYSTEM

#995250/50 | #995270/70

ONBOARD RECLAIM SYSTEM FOR MX360EX NEW RELEASE #9949120

Powders for Reuse



LIQUIDS



TYPE BG **BLAST GATE**

No more filter clogs

Combustible dust options

Increase collection capacity

12" HEC XLT



HEC-BG

- 8" Airtight Blast gate
- 95% Efficient
- Manual Discharge
- Easy Mobility
- Easy Dust Disposal
- Forklift Pockets

• Separate Materials Before Entering the Vacuum System • Limit Hazardous Material Generation and Disposal

Reclaim Expensive Metal

- Increase Production and
- Reduce your Costs



DIRECT BAGGER



TYPE DB

HEC-DB

- Direct Bagging
- 95% Efficient
- Easy Mobility
- Easy Dust Disposal



HIGH EFFICIENCY CYCLONES (HEC) STATIONARY - PRE-SEPARATION SYSTEMS

CUSTOMIZED FOR YOUR UNIQUE APPLICATION

CHOOSE COLLECTION SYSTEM:

- 1) 55 gallon drum
- 2) Gaylord container
- 3) Super sack




DIRECT DRUM FILL WITH 55 GALLON DRUM

- Compact stationary design
- 95% efficient with sub-micron particles

CHOOSE CFM RANGE:

1) CE15: 150 - 325 CFM 2) CE18: 325 - 550 CFM



ROTARY AIR LOCK WITH SUPER SACK

- NFPA compliant 8 vein
- Manual start / stop with overload
- 230/3/60 or 460/3/60 options

DUMPSTER SEPARATORS CUST CUST Plan • Plan • Use • NFP • Colle • Ask a Goo

CENTRAL VACUUM SYSTEMS

CUSTOMIZED SOLUTIONS FOR YOUR FACILITY

- Plantwide Housekeeping with Multiple Operators
- Use to Reclaim Valuable Materials for Reuse
- NFPA Compliant Options for Combustible Dust
- Collect into Drums, Bins or "Super Sacks"
- Ask if a "Compact Central System" Might be
- a Good Option for Your Application.

NOT SURE WHICH HEC IS RIGHT FOR YOU? CALL 413-532-4030 TO SPEAK WITH A REPRESENTATIVE AND BE SIZED FOR YOUR UNIQUE MATERIALS AND APPLICATION.

OSES

FILTERS

HEPA UPGRADES - A GREATER LEVEL OF PROTECTION





00 **Static-Conductive** Disposable 9 gallon dust pan liners



970503CASE Bags for RED LINE vacuums (sold by the case) 970506 Anti-static bags for WORKHORSE and WORKHORSE EX dustpan (sold in packs of 10) 970504 Bags for POWERHOUSE dustpan (sold individually) 970504C Conductive bags for POWERHOUSE dustpan (sold individually) 970500 Bags for 30 gallon drum (sold individually) 970500C Conductive bags for 30 gallon drum (sold individually)

Turn your ruwac portable dustpan vacuum into a direct bagger DUSTPAN TO DIRECT BAGGER CONVERSION KIT



2" INLET - PURCHASE #565301KIT

2.75" INLET - PURCHASE #565370KIT

The red line series bagger vac conversion kit: the flexibility to turn your ruwac portable machine into a direct bagging system at a fraction of the cost of buying a new machine!

NOTES:

CENTRAL VACUUM SYSTEMS

- · Plantwide Housekeeping with Multiple Operators
- Use to Reclaim Valuable Materials for Reuse
- Quick Return on Investment
- NFPA Compliant Safe Collection of Combustible Dust
- · Collect Materials into Drums, Bins or "Super Sacks"
- · Custom Solution Designed for Your Facility

CALL FOR TUBING AND FITTINGS

ASK US HOW A "COMPACT CENTRAL SYSTEM" COULD SAVE YOU THOUSANDS OF DOLLARS!



SUPERIOR PERFORMANCE, COST EFFECTIVE SOLUTIONS

Supplying Industrial Vacuum equipment worldwide, we pride ourselves in providing cost effective solutions for general housekeeping to point-of-source extraction while utilizing our unique, state-of-the-art filtration and vacuum systems. Let us assist you with all of your vacuuming needs!

SOME OF THE VACUUM SYSTEMS WE OFFER:

- Portable Industrial Vacuums
- Explosion Proof Vacuums

ar 2

- HEPA Vacuums
- Central & Compact Central Systems
- Direct Bagger Vacuums
- Wet Collectors & Immersion Separators
- Continuous Duty Vacuums

- Point of Source Extraction
- Sump Vacuums
- Bulk Collection Systems
- Reclaim and Reuse Systems
- Vacuum Assist Systems
- High Temperature Systems
- Alternative Powered Vacuums





OEM OPPORTUNITIES:

With Ruwac's extensive product solutions and custom engineering capabilities, we can work together to find a vacuum solution that works with your equipment. Let the vacuum experts insure that your process equipment is dust free.

INDUSTRIES AND APPLICATIONS:

- Additive Manufacturing
- Food, Grain and Bakeries
- Firing Ranges
- Powder Coating
- Concrete and Silica Dust
- Asbestos and Vermiculite
- Barber Shops
- Metal Working

- Pharmaceuticals
- Welding
- Drywall Sanding
- Wood Floor Finishing
- Automobile Manufacturing
- Oven Cleaning
- Overhead Cleaning
- Slurry Collection

413-532-4030 WWW.F

WWW.RUWAC.COM

INFO@RUWAC.COM